



唯聖電子有限公司

GOODWORK SEMICONDUCTOR CO., LTD..

Part Number	Package	P _D (W)	V _Z @ I _{ZT} (Nom)	V _Z @ I _{ZT} (Min)	V _Z @ I _{ZT} (Max)	I _R (uA)	V _R (V)
BZX55B2V4	DO-35G	0.5	2.40	2.35	2.44	50.00	1.0
BZX55B2V7	DO-35G	0.5	2.70	2.60	2.80	10.00	1.0
BZX55B3V0	DO-35G	0.5	3.00	2.90	3.10	4.00	1.0
BZX55B3V3	DO-35G	0.5	3.30	3.20	3.40	2.00	1.0
BZX55B3V6	DO-35G	0.5	3.60	3.50	3.70	2.00	1.0
BZX55B3V9	DO-35G	0.5	3.90	3.80	4.00	2.00	1.0
BZX55B4V3	DO-35G	0.5	4.30	4.20	4.40	1.00	1.0
BZX55B4V7	DO-35G	0.5	4.70	4.60	4.80	0.50	1.0
BZX55B5V1	DO-35G	0.5	5.10	5.00	5.20	0.10	1.0
BZX55B5V6	DO-35G	0.5	5.60	5.50	5.70	0.10	1.0
BZX55B6V2	DO-35G	0.5	6.20	6.10	6.30	0.10	2.0
BZX55B6V8	DO-35G	0.5	6.80	6.70	6.90	0.10	3.0
BZX55B7V5	DO-35G	0.5	7.50	7.40	7.70	0.10	5.0
BZX55B8V2	DO-35G	0.5	8.20	8.00	8.40	0.10	6.2
BZX55B9V1	DO-35G	0.5	9.10	8.90	9.30	0.10	6.8
BZX55B10	DO-35G	0.5	10.00	9.80	10.20	0.10	7.5
BZX55B11	DO-35G	0.5	11.00	10.80	11.20	0.10	8.2
BZX55B12	DO-35G	0.5	12.00	11.80	12.20	0.10	9.1
BZX55B13	DO-35G	0.5	13.00	12.70	13.30	0.10	10.0
BZX55B15	DO-35G	0.5	15.00	14.70	15.30	0.10	11.0
BZX55B16	DO-35G	0.5	16.00	15.70	16.30	0.10	12.0
BZX55B18	DO-35G	0.5	18.00	17.60	18.40	0.10	13.0
BZX55B20	DO-35G	0.5	20.00	19.60	20.40	0.10	15.0
BZX55B22	DO-35G	0.5	22.00	21.60	22.40	0.10	16.0
BZX55B24	DO-35G	0.5	24.00	23.50	24.50	0.10	18.0
BZX55B27	DO-35G	0.5	27.00	26.50	27.50	0.10	20.0
BZX55B30	DO-35G	0.5	30.00	29.40	30.60	0.10	22.0
BZX55B33	DO-35G	0.5	33.00	32.30	33.70	0.10	24.0

BZX55B36	DO-35G	0.5	36.00	35.30	36.70	0.10	27.0
BZX55C2V0	DO-35G	0.5	2.00	1.90	2.10	50.00	1.0
BZX55C2V2	DO-35G	0.5	2.20	2.09	2.31	50.00	1.0
BZX55C2V4	DO-35G	0.5	2.40	2.28	2.56	50.00	1.0
BZX55C2V7	DO-35G	0.5	2.70	2.50	2.90	10.00	1.0
BZX55C3V0	DO-35G	0.5	3.00	2.80	3.20	4.00	1.0
BZX55C3V3	DO-35G	0.5	3.30	3.10	3.50	2.00	1.0
BZX55C3V6	DO-35G	0.5	3.60	3.40	3.80	2.00	1.0
BZX55C3V9	DO-35G	0.5	3.90	3.70	4.10	2.00	1.0
BZX55C4V3	DO-35G	0.5	4.30	4.00	4.60	1.00	1.0
BZX55C4V7	DO-35G	0.5	4.70	4.40	5.00	0.50	1.0
BZX55C5V1	DO-35G	0.5	5.10	4.80	5.40	0.10	1.0
BZX55C5V6	DO-35G	0.5	5.60	5.20	6.00	0.10	1.0
BZX55C6V2	DO-35G	0.5	6.20	5.80	6.60	0.10	2.0
BZX55C6V8	DO-35G	0.5	6.80	6.40	7.20	0.10	3.0
BZX55C7V5	DO-35G	0.5	7.50	7.00	7.90	0.10	5.0
BZX55C8V2	DO-35G	0.5	8.20	7.70	8.70	0.10	6.2
BZX55C9V1	DO-35G	0.5	9.10	8.50	9.60	0.10	6.8
BZX55C10	DO-35G	0.5	10.00	9.40	10.60	0.10	7.5
BZX55C11	DO-35G	0.5	11.00	10.40	11.60	0.10	8.2
BZX55C12	DO-35G	0.5	12.00	11.40	12.70	0.10	9.1
BZX55C13	DO-35G	0.5	13.00	12.40	14.10	0.10	10.0
BZX55C15	DO-35G	0.5	15.00	13.80	15.60	0.10	11.0
BZX55C16	DO-35G	0.5	16.00	15.30	17.10	0.10	12.0
BZX55C18	DO-35G	0.5	18.00	16.80	19.10	0.10	13.0
BZX55C20	DO-35G	0.5	20.00	18.80	21.20	0.10	15.0
BZX55C22	DO-35G	0.5	22.00	20.80	23.30	0.10	16.0
BZX55C24	DO-35G	0.5	24.00	22.80	25.60	0.10	18.0
BZX55C27	DO-35G	0.5	27.00	25.10	28.90	0.10	20.0
BZX55C30	DO-35G	0.5	30.00	28.00	32.00	0.10	22.0
BZX55C33	DO-35G	0.5	33.00	31.00	35.00	0.10	24.0
BZX55C36	DO-35G	0.5	36.00	34.00	38.00	0.10	27.0
BZX55C39	DO-35G	0.5	39.00	37.00	41.00	0.10	30.0
BZX55C43	DO-35G	0.5	43.00	40.00	46.00	0.10	33.0

BZX55C47	DO-35G	0.5	47.00	44.00	50.00	0.10	36.0
BZX79C2V4	DO-35G	0.5	2.40	-	-	50.00	1.0
BZX79C2V7	DO-35G	0.5	2.70	-	-	20.00	1.0
BZX79C3V0	DO-35G	0.5	3.00	-	-	10.00	1.0
BZX79C3V3	DO-35G	0.5	3.30	-	-	5.00	1.0
BZX79C3V6	DO-35G	0.5	3.60	-	-	5.00	1.0
BZX79C3V9	DO-35G	0.5	3.90	-	-	3.00	1.0
BZX79C4V3	DO-35G	0.5	4.30	-	-	3.00	1.0
BZX79C4V7	DO-35G	0.5	4.70	-	-	3.00	1.0
BZX79C5V1	DO-35G	0.5	5.10	-	-	2.00	1.0
BZX79C5V6	DO-35G	0.5	5.60	-	-	1.00	1.0
BZX79C6V2	DO-35G	0.5	6.20	-	-	3.00	2.0
BZX79C6V8	DO-35G	0.5	6.80	-	-	2.00	3.0
BZX79C7V5	DO-35G	0.5	7.50	-	-	1.00	5.0
BZX79C8V2	DO-35G	0.5	8.20	-	-	0.70	6.0
BZX79C9V1	DO-35G	0.5	9.10	-	-	0.50	7.0
BZX79C10	DO-35G	0.5	10.00	-	-	0.20	7.5
BZX79C11	DO-35G	0.5	11.00	-	-	0.10	8.5
BZX79C12	DO-35G	0.5	12.00	-	-	0.10	9.0
BZX79C13	DO-35G	0.5	13.00	-	-	0.10	10.0
BZX79C15	DO-35G	0.5	15.00	-	-	0.05	11.0
BZX79C16	DO-35G	0.5	16.00	-	-	0.05	12.0
BZX79C18	DO-35G	0.5	18.00	-	-	0.05	14.0
BZX79C20	DO-35G	0.5	20.00	-	-	0.05	15.0
BZX79C22	DO-35G	0.5	22.00	-	-	0.05	17.0
BZX79C24	DO-35G	0.5	24.00	-	-	0.05	18.0
BZX79C27	DO-35G	0.5	27.00	-	-	0.05	20.0
BZX79C30	DO-35G	0.5	30.00	-	-	0.05	22.0
BZX79C33	DO-35G	0.5	33.00	-	-	0.05	24.0
BZX79C36	DO-35G	0.5	36.00	-	-	0.05	27.0
BZX79C39	DO-35G	0.5	39.00	-	-	0.05	28.0
BZX79C43	DO-35G	0.5	43.00	-	-	0.05	32.0
BZX79C47	DO-35G	0.5	47.00	-	-	0.05	35.0
BZX79C51	DO-35G	0.5	51.00	-	-	0.05	38.0

BZX79C56	DO-35G	0.5	56.00	-	-	0.05	39.0
BZX79C62	DO-35G	0.5	62.00	-	-	0.05	43.0
BZX79C68	DO-35G	0.5	68.00	-	-	0.05	48.0
BZX79C75	DO-35G	0.5	75.00	-	-	0.05	53.0
ZMM55B2V4	LL-34	0.5	2.40	2.35	2.44	50.00	1.0
ZMM55B2V7	LL-34	0.5	2.70	2.60	2.80	10.00	1.0
ZMM55B3V0	LL-34	0.5	3.00	2.90	3.10	4.00	1.0
ZMM55B3V3	LL-34	0.5	3.30	3.20	3.40	2.00	1.0
ZMM55B3V6	LL-34	0.5	3.60	3.50	3.70	2.00	1.0
ZMM55B3V9	LL-34	0.5	3.90	3.80	4.00	2.00	1.0
ZMM55B4V3	LL-34	0.5	4.30	4.20	4.40	1.00	1.0
ZMM55B4V7	LL-34	0.5	4.70	4.60	4.80	0.50	1.0
ZMM55B5V1	LL-34	0.5	5.10	5.00	5.20	0.10	1.0
ZMM55B5V6	LL-34	0.5	5.60	5.50	5.70	0.10	1.0
ZMM55B6V2	LL-34	0.5	6.20	6.10	6.30	0.10	2.0
ZMM55B6V8	LL-34	0.5	6.80	6.70	6.90	0.10	3.0
ZMM55B7V5	LL-34	0.5	7.50	7.40	7.70	0.10	5.0
ZMM55B8V2	LL-34	0.5	8.20	8.00	8.40	0.10	6.2
ZMM55B9V1	LL-34	0.5	9.10	8.90	9.30	0.10	6.8
ZMM55B10	LL-34	0.5	10.00	9.80	10.20	0.10	7.5
ZMM55B11	LL-34	0.5	11.00	10.80	11.20	0.10	8.2
ZMM55B12	LL-34	0.5	12.00	11.80	12.20	0.10	9.1
ZMM55B13	LL-34	0.5	13.00	12.70	13.30	0.10	10.0
ZMM55B15	LL-34	0.5	15.00	14.70	15.30	0.10	11.0
ZMM55B16	LL-34	0.5	16.00	15.70	16.30	0.10	12.0
ZMM55B18	LL-34	0.5	18.00	17.60	18.40	0.10	13.0
ZMM55B20	LL-34	0.5	20.00	19.60	20.40	0.10	15.0
ZMM55B22	LL-34	0.5	22.00	21.60	22.40	0.10	16.0
ZMM55B24	LL-34	0.5	24.00	23.50	24.50	0.10	18.0
ZMM55B27	LL-34	0.5	27.00	26.50	27.50	0.10	20.0
ZMM55B30	LL-34	0.5	30.00	29.40	30.60	0.10	22.0
ZMM55B33	LL-34	0.5	33.00	32.30	33.70	0.10	24.0
ZMM55B36	LL-34	0.5	36.00	35.30	36.70	0.10	27.0
ZMM55C2V0	LL-34	0.5	2.00	1.90	2.10	150.00	1.0

ZMM55C2V2	LL-34	0.5	2.20	2.10	2.30	150.00	1.0
ZMM55C2V4	LL-34	0.5	2.40	2.28	2.56	50.00	1.0
ZMM55C2V7	LL-34	0.5	2.70	2.50	2.90	10.00	1.0
ZMM55C3V0	LL-34	0.5	3.00	2.80	3.20	4.00	1.0
ZMM55C3V3	LL-34	0.5	3.30	3.10	3.50	2.00	1.0
ZMM55C3V6	LL-34	0.5	3.60	3.40	3.80	2.00	1.0
ZMM55C3V9	LL-34	0.5	3.90	3.70	4.10	2.00	1.0
ZMM55C4V3	LL-34	0.5	4.30	4.00	4.60	1.00	1.0
ZMM55C4V7	LL-34	0.5	4.70	4.40	5.00	0.50	1.0
ZMM55C5V1	LL-34	0.5	5.10	4.80	5.40	0.10	1.0
ZMM55C5V6	LL-34	0.5	5.60	5.20	6.00	0.10	1.0
ZMM55C6V2	LL-34	0.5	6.20	5.80	6.60	0.10	2.0
ZMM55C6V8	LL-34	0.5	6.80	6.40	7.20	0.10	3.0
ZMM55C7V5	LL-34	0.5	7.50	7.00	7.90	0.10	5.0
ZMM55C8V2	LL-34	0.5	8.20	7.70	8.70	0.10	6.2
ZMM55C9V1	LL-34	0.5	9.10	8.50	9.60	0.10	6.8
ZMM55C10	LL-34	0.5	10.00	9.40	10.60	0.10	7.5
ZMM55C11	LL-34	0.5	11.00	10.40	11.60	0.10	8.2
ZMM55C12	LL-34	0.5	12.00	11.40	12.70	0.10	9.1
ZMM55C13	LL-34	0.5	13.00	12.40	14.10	0.10	10.0
ZMM55C15	LL-34	0.5	15.00	13.80	15.60	0.10	11.0
ZMM55C16	LL-34	0.5	16.00	15.30	17.10	0.10	12.0
ZMM55C18	LL-34	0.5	18.00	16.80	19.10	0.10	13.0
ZMM55C20	LL-34	0.5	20.00	18.80	21.20	0.10	15.0
ZMM55C22	LL-34	0.5	22.00	20.80	23.30	0.10	16.0
ZMM55C24	LL-34	0.5	24.00	22.80	25.60	0.10	18.0
ZMM55C27	LL-34	0.5	27.00	25.10	28.90	0.10	20.0
ZMM55C30	LL-34	0.5	30.00	28.00	32.00	0.10	22.0
ZMM55C33	LL-34	0.5	33.00	31.00	35.00	0.10	24.0
ZMM55C36	LL-34	0.5	36.00	34.00	38.00	0.10	27.0
ZMM55C39	LL-34	0.5	39.00	37.00	41.00	0.10	30.0
ZMM55C43	LL-34	0.5	43.00	40.00	46.00	0.10	33.0
ZMM55C47	LL-34	0.5	47.00	44.00	50.00	0.10	36.0
ZMM55C51	LL-34	0.5	51.00	48.00	54.00	0.10	39.0

ZMM55C56	LL-34	0.5	56.00	52.00	60.00	0.10	43.0
ZMM55C62	LL-34	0.5	62.00	58.00	66.00	0.10	47.0
ZMM55C68	LL-34	0.5	68.00	64.00	72.00	0.10	51.0
ZMM55C75	LL-34	0.5	75.00	70.00	80.00	0.10	56.0
ZMM55C82	LL-34	0.5	82.00	77.00	87.00	0.10	62.0
ZMM55C91	LL-34	0.5	91.00	85.00	96.00	0.10	68.0
ZMM55C100	LL-34	0.5	100.00	94.00	106.00	0.10	75.0
ZMM55C110	LL-34	0.5	110.00	104.00	116.00	0.10	82.0
ZMM55C120	LL-34	0.5	120.00	114.00	127.00	0.10	91.0
ZMM55C130	LL-34	0.5	130.00	124.00	141.00	0.10	100.0
ZMM55C150	LL-34	0.5	150.00	138.00	156.00	0.10	110.0
ZMM55C160	LL-34	0.5	160.00	153.00	171.00	0.10	120.0
ZMM55C180	LL-34	0.5	180.00	168.00	191.00	0.10	130.0
ZMM55C188	LL-34	0.5	188.00	188.00	212.00	0.10	150.0
1N5221B	DO-35G	0.5	2.40	-	-	100.00	1.0
1N5222B	DO-35G	0.5	2.50	-	-	100.00	1.0
1N5223B	DO-35G	0.5	2.70	-	-	75.00	1.0
1N5224B	DO-35G	0.5	2.80	-	-	75.00	1.0
1N5225B	DO-35G	0.5	3.00	-	-	50.00	1.0
1N5226B	DO-35G	0.5	3.30	-	-	25.00	1.0
1N5227B	DO-35G	0.5	3.60	-	-	15.00	1.0
1N5228B	DO-35G	0.5	3.90	-	-	10.00	1.0
1N5229B	DO-35G	0.5	4.30	-	-	5.00	1.0
1N5230B	DO-35G	0.5	4.70	-	-	5.00	2.0
1N5231B	DO-35G	0.5	5.10	-	-	5.00	2.0
1N5232B	DO-35G	0.5	5.60	-	-	5.00	3.0
1N5233B	DO-35G	0.5	6.00	-	-	5.00	3.5
1N5234B	DO-35G	0.5	6.20	-	-	5.00	4.0
1N5235B	DO-35G	0.5	6.80	-	-	3.00	5.0
1N5236B	DO-35G	0.5	7.50	-	-	3.00	6.0
1N5237B	DO-35G	0.5	8.20	-	-	3.00	6.5
1N5238B	DO-35G	0.5	8.70	-	-	3.00	6.5
1N5239B	DO-35G	0.5	9.10	-	-	3.00	7.0
1N5240B	DO-35G	0.5	10.00	-	-	3.00	8.0

1N5241B	DO-35G	0.5	11.00	-	-	2.00	8.4
1N5242B	DO-35G	0.5	12.00	-	-	1.00	9.1
1N5243B	DO-35G	0.5	13.00	-	-	0.50	9.9
1N5244B	DO-35G	0.5	14.00	-	-	0.10	10.0
1N5245B	DO-35G	0.5	15.00	-	-	0.10	11.0
1N5246B	DO-35G	0.5	16.00	-	-	0.10	12.0
1N5247B	DO-35G	0.5	17.00	-	-	0.10	13.0
1N5248B	DO-35G	0.5	18.00	-	-	0.10	14.0
1N5249B	DO-35G	0.5	19.00	-	-	0.10	14.0
1N5250B	DO-35G	0.5	20.00	-	-	0.10	15.0
1N5251B	DO-35G	0.5	22.00	-	-	0.10	17.0
1N5252B	DO-35G	0.5	24.00	-	-	0.10	18.0
1N5253B	DO-35G	0.5	25.00	-	-	0.10	19.0
1N5254B	DO-35G	0.5	27.00	-	-	0.10	21.0
1N5255B	DO-35G	0.5	28.00	-	-	0.10	21.0
1N5256B	DO-35G	0.5	30.00	-	-	0.10	23.0
1N5257B	DO-35G	0.5	33.00	-	-	0.10	25.0
1N5258B	DO-35G	0.5	36.00	-	-	0.10	27.0
1N5259B	DO-35G	0.5	39.00	-	-	0.10	30.0
1N5260B	DO-35G	0.5	43.00	-	-	0.10	33.0
1N5261B	DO-35G	0.5	47.00	-	-	0.10	36.0
1N5262B	DO-35G	0.5	51.00	-	-	0.10	39.0
1N5263B	DO-35G	0.5	56.00	-	-	0.10	43.0
ZMM5221B	LL-34	0.5	2.40	-	-	100.00	1.0
ZMM5222B	LL-34	0.5	2.50	-	-	100.00	1.0
ZMM5223B	LL-34	0.5	2.70	-	-	75.00	1.0
ZMM5224B	LL-34	0.5	2.80	-	-	75.00	1.0
ZMM5225B	LL-34	0.5	3.00	-	-	50.00	1.0
ZMM5226B	LL-34	0.5	3.30	-	-	25.00	1.0
ZMM5227B	LL-34	0.5	3.60	-	-	15.00	1.0
ZMM5228B	LL-34	0.5	3.90	-	-	10.00	1.0
ZMM5229B	LL-34	0.5	4.30	-	-	5.00	1.0
ZMM5230B	LL-34	0.5	4.70	-	-	5.00	2.0
ZMM5231B	LL-34	0.5	5.10	-	-	5.00	2.0

ZMM5232B	LL-34	0.5	5.60	-	-	5.00	3.0
ZMM5233B	LL-34	0.5	6.00	-	-	5.00	3.5
ZMM5234B	LL-34	0.5	6.20	-	-	5.00	4.0
ZMM5235B	LL-34	0.5	6.80	-	-	3.00	5.0
ZMM5236B	LL-34	0.5	7.50	-	-	3.00	6.0
ZMM5237B	LL-34	0.5	8.20	-	-	3.00	6.5
ZMM5238B	LL-34	0.5	8.70	-	-	3.00	6.5
ZMM5239B	LL-34	0.5	9.10	-	-	3.00	7.0
ZMM5240B	LL-34	0.5	10.00	-	-	3.00	8.0
ZMM5241B	LL-34	0.5	11.00	-	-	2.00	8.4
ZMM5242B	LL-34	0.5	12.00	-	-	1.00	9.1
ZMM5243B	LL-34	0.5	13.00	-	-	0.50	9.9
ZMM5244B	LL-34	0.5	14.00	-	-	0.10	10.0
ZMM5245B	LL-34	0.5	15.00	-	-	0.10	11.0
ZMM5246B	LL-34	0.5	16.00	-	-	0.10	12.0
ZMM5247B	LL-34	0.5	17.00	-	-	0.10	13.0
ZMM5248B	LL-34	0.5	18.00	-	-	0.10	14.0
ZMM5249B	LL-34	0.5	19.00	-	-	0.10	14.0
ZMM5250B	LL-34	0.5	20.00	-	-	0.10	15.0
ZMM5251B	LL-34	0.5	22.00	-	-	0.10	17.0
ZMM5252B	LL-34	0.5	24.00	-	-	0.10	18.0
ZMM5253B	LL-34	0.5	25.00	-	-	0.10	19.0
ZMM5254B	LL-34	0.5	27.00	-	-	0.10	21.0
ZMM5255B	LL-34	0.5	28.00	-	-	0.10	21.0
ZMM5256B	LL-34	0.5	30.00	-	-	0.10	23.0
ZMM5257B	LL-34	0.5	33.00	-	-	0.10	25.0
ZMM5258B	LL-34	0.5	36.00	-	-	0.10	27.0
ZMM5259B	LL-34	0.5	39.00	-	-	0.10	30.0
ZMM5260B	LL-34	0.5	43.00	-	-	0.10	33.0
ZMM5261B	LL-34	0.5	47.00	-	-	0.10	36.0
ZMM5262B	LL-34	0.5	51.00	-	-	0.10	39.0
ZMM5263B	LL-34	0.5	56.00	-	-	0.10	43.0
ZMM5266B	LL-34	0.5	68.00	-	-	0.10	52.0
ZMM5267B	LL-34	0.5	75.00	-	-	0.10	56.0

1N4728A	DO-41G	1.0	-	3.13	3.47	100.00	1.0
1N4729A	DO-41G	1.0	-	3.42	3.78	100.00	1.0
1N4730A	DO-41G	1.0	-	3.71	4.09	50.00	1.0
1N4731A	DO-41G	1.0	-	4.09	4.51	10.00	1.0
1N4732A	DO-41G	1.0	-	4.47	4.93	10.00	1.0
1N4733A	DO-41G	1.0	-	4.86	5.34	10.00	1.0
1N4734A	DO-41G	1.0	-	5.33	5.87	10.00	2.0
1N4735A	DO-41G	1.0	-	5.90	6.50	10.00	3.0
1N4736A	DO-41G	1.0	-	6.47	7.13	10.00	4.0
1N4737A	DO-41G	1.0	-	7.14	7.86	10.00	5.0
1N4738A	DO-41G	1.0	-	7.81	8.59	10.00	6.0
1N4739A	DO-41G	1.0	-	8.66	9.54	10.00	7.0
1N4740A	DO-41G	1.0	-	9.52	10.48	10.00	7.6
1N4741A	DO-41G	1.0	-	10.47	11.53	5.00	8.4
1N4742A	DO-41G	1.0	-	11.42	12.58	5.00	9.1
1N4743A	DO-41G	1.0	-	12.38	13.62	5.00	9.9
1N4744A	DO-41G	1.0	-	14.28	15.72	5.00	11.4
1N4745A	DO-41G	1.0	-	15.23	16.77	5.00	12.2
1N4746A	DO-41G	1.0	-	17.14	18.86	5.00	13.7
1N4747A	DO-41G	1.0	-	19.04	21.00	5.00	15.2
1N4748A	DO-41G	1.0	-	20.94	23.06	5.00	16.7
1N4749A	DO-41G	1.0	-	22.84	25.15	5.00	18.2
1N4750A	DO-41G	1.0	-	25.70	28.29	5.00	20.6
1N4751A	DO-41G	1.0	-	28.56	31.44	5.00	22.8
1N4752A	DO-41G	1.0	-	31.41	34.58	5.00	25.1
1N4753A	DO-41G	1.0	-	34.27	37.73	5.00	27.4
1N4754A	DO-41G	1.0	-	37.10	40.90	5.00	29.7
1N4755A	DO-41G	1.0	-	40.90	45.20	5.00	32.7
1N4756A	DO-41G	1.0	-	44.65	49.35	5.00	35.8
1N4757A	DO-41G	1.0	-	48.45	53.55	5.00	38.8
1N4758A	DO-41G	1.0	-	53.20	58.80	5.00	42.6
1N4759A	DO-41G	1.0	-	58.90	65.10	5.00	47.1
1N4760A	DO-41G	1.0	-	64.60	71.40	5.00	51.7
1N4761A	DO-41G	1.0	-	71.25	78.75	5.00	56.0

1N4762A	DO-41G	1.0	-	77.90	86.10	5.00	62.2
1N4763A	DO-41G	1.0	-	86.45	95.55	5.00	69.2
1N4764A	DO-41G	1.0	-	95.00	105.00	5.00	76.0
1N4728A	DO-41	1.0	3.30	-	-	100.00	1.0
1N4729A	DO-41	1.0	3.60	-	-	100.00	1.0
1N4730A	DO-41	1.0	3.90	-	-	50.00	1.0
1N4731A	DO-41	1.0	4.30	-	-	10.00	1.0
1N4732A	DO-41	1.0	4.70	-	-	10.00	1.0
1N4733A	DO-41	1.0	5.10	-	-	10.00	1.0
1N4734A	DO-41	1.0	5.60	-	-	10.00	2.0
1N4735A	DO-41	1.0	6.20	-	-	10.00	3.0
1N4736A	DO-41	1.0	6.80	-	-	10.00	4.0
1N4737A	DO-41	1.0	7.50	-	-	10.00	5.0
1N4738A	DO-41	1.0	8.20	-	-	10.00	6.0
1N4739A	DO-41	1.0	9.10	-	-	10.00	7.0
1N4740A	DO-41	1.0	10.00	-	-	10.00	7.6
1N4741A	DO-41	1.0	11.00	-	-	5.00	8.4
1N4742A	DO-41	1.0	12.00	-	-	5.00	9.1
1N4743A	DO-41	1.0	13.00	-	-	5.00	9.9
1N4744A	DO-41	1.0	15.00	-	-	5.00	11.4
1N4745A	DO-41	1.0	16.00	-	-	5.00	12.2
1N4746A	DO-41	1.0	18.00	-	-	5.00	13.7
1N4747A	DO-41	1.0	20.00	-	-	5.00	15.2
1N4748A	DO-41	1.0	22.00	-	-	5.00	16.7
1N4749A	DO-41	1.0	24.00	-	-	5.00	18.2
1N4750A	DO-41	1.0	27.00	-	-	5.00	20.6
1N4751A	DO-41	1.0	30.00	-	-	5.00	22.8
1N4752A	DO-41	1.0	33.00	-	-	5.00	25.1
1N4753A	DO-41	1.0	36.00	-	-	5.00	27.4
1N4754A	DO-41	1.0	39.00	-	-	5.00	29.7
1N4755A	DO-41	1.0	43.00	-	-	5.00	32.7
1N4756A	DO-41	1.0	47.00	-	-	5.00	35.8
1N4757A	DO-41	1.0	51.00	-	-	5.00	38.8
1N4758A	DO-41	1.0	56.00	-	-	5.00	42.6

1N4759A	DO-41	1.0	62.00	-	-	5.00	47.1
1N4760A	DO-41	1.0	68.00	-	-	5.00	51.7
1N4761A	DO-41	1.0	75.00	-	-	5.00	56.0
1N4762A	DO-41	1.0	82.00	-	-	5.00	62.2
1N4763A	DO-41	1.0	91.00	-	-	5.00	69.2
1N4764A	DO-41	1.0	100.00	-	-	5.00	76.0
ZM4728A	MELF	1.0	3.30	-	-	100.00	1.0
ZM4729A	MELF	1.0	3.60	-	-	100.00	1.0
ZM4730A	MELF	1.0	3.90	-	-	50.00	1.0
ZM4731A	MELF	1.0	4.30	-	-	10.00	1.0
ZM4732A	MELF	1.0	4.70	-	-	10.00	1.0
ZM4733A	MELF	1.0	5.10	-	-	10.00	1.0
ZM4734A	MELF	1.0	5.60	-	-	10.00	2.0
ZM4735A	MELF	1.0	6.20	-	-	10.00	3.0
ZM4736A	MELF	1.0	6.80	-	-	10.00	4.0
ZM4737A	MELF	1.0	7.50	-	-	10.00	5.0
ZM4738A	MELF	1.0	8.20	-	-	10.00	6.0
ZM4739A	MELF	1.0	9.10	-	-	10.00	7.0
ZM4740A	MELF	1.0	10.00	-	-	10.00	7.6
ZM4741A	MELF	1.0	11.00	-	-	5.00	8.4
ZM4742A	MELF	1.0	12.00	-	-	5.00	9.1
ZM4743A	MELF	1.0	13.00	-	-	5.00	9.9
ZM4744A	MELF	1.0	15.00	-	-	5.00	11.4
ZM4745A	MELF	1.0	16.00	-	-	5.00	12.2
ZM4746A	MELF	1.0	18.00	-	-	5.00	13.7
ZM4747A	MELF	1.0	20.00	-	-	5.00	15.2
ZM4748A	MELF	1.0	22.00	-	-	5.00	16.7
ZM4749A	MELF	1.0	24.00	-	-	5.00	18.2
ZM4750A	MELF	1.0	27.00	-	-	5.00	20.6
ZM4751A	MELF	1.0	30.00	-	-	5.00	22.8
ZM4752A	MELF	1.0	33.00	-	-	5.00	25.1
ZM4753A	MELF	1.0	36.00	-	-	5.00	27.4
ZM4754A	MELF	1.0	39.00	-	-	5.00	29.7
ZM4755A	MELF	1.0	43.00	-	-	5.00	32.7

ZM4756A	MELF	1.0	47.00	-	-	5.00	35.8
ZM4757A	MELF	1.0	51.00	-	-	5.00	38.8
ZM4758A	MELF	1.0	56.00	-	-	5.00	42.6
ZM4759A	MELF	1.0	62.00	-	-	5.00	47.1
ZM4760A	MELF	1.0	68.00	-	-	5.00	51.7
ZM4761A	MELF	1.0	75.00	-	-	5.00	56.0
ZM4762A	MELF	1.0	82.00	-	-	5.00	62.2
ZM4763A	MELF	1.0	91.00	-	-	5.00	69.2
ZM4764A	MELF	1.0	100.00	-	-	5.00	70.0
1N5913B	DO-41	1.5	3.30	-	-	100.00	1.0
1N5914B	DO-41	1.5	3.60	-	-	75.00	1.0
1N5915B	DO-41	1.5	3.90	-	-	25.00	1.0
1N5916B	DO-41	1.5	4.30	-	-	5.00	1.0
1N5917B	DO-41	1.5	4.70	-	-	5.00	1.5
1N5918B	DO-41	1.5	5.10	-	-	5.00	2.0
1N5919B	DO-41	1.5	5.60	-	-	5.00	3.0
1N5920B	DO-41	1.5	6.20	-	-	5.00	4.0
1N5921B	DO-41	1.5	6.80	-	-	5.00	5.2
1N5922B	DO-41	1.5	7.50	-	-	5.00	6.0
1N5923B	DO-41	1.5	8.20	-	-	5.00	6.5
1N5924B	DO-41	1.5	9.10	-	-	5.00	7.0
1N5925B	DO-41	1.5	10.00	-	-	5.00	8.0
1N5926B	DO-41	1.5	11.00	-	-	1.00	8.4
1N5927B	DO-41	1.5	12.00	-	-	1.00	9.1
1N5928B	DO-41	1.5	13.00	-	-	1.00	9.9
1N5929B	DO-41	1.5	15.00	-	-	1.00	11.4
1N5930B	DO-41	1.5	16.00	-	-	1.00	12.2
1N5931B	DO-41	1.5	18.00	-	-	1.00	13.7
1N5932B	DO-41	1.5	20.00	-	-	1.00	15.2
1N5933B	DO-41	1.5	22.00	-	-	1.00	16.7
1N5934B	DO-41	1.5	24.00	-	-	1.00	18.2
1N5935B	DO-41	1.5	27.00	-	-	1.00	20.6
1N5936B	DO-41	1.5	30.00	-	-	1.00	22.8
1N5937B	DO-41	1.5	33.00	-	-	1.00	25.1

1N5938B	DO-41	1.5	36.00	-	-	1.00	27.4
1N5939B	DO-41	1.5	39.00	-	-	1.00	29.7
1N5940B	DO-41	1.5	43.00	-	-	1.00	32.7
1N5941B	DO-41	1.5	47.00	-	-	1.00	35.8
1N5942B	DO-41	1.5	51.00	-	-	1.00	38.8
1N5943B	DO-41	1.5	56.00	-	-	1.00	42.6
1N5944B	DO-41	1.5	62.00	-	-	1.00	47.1
1N5945B	DO-41	1.5	68.00	-	-	1.00	51.2
1N5946B	DO-41	1.5	75.00	-	-	1.00	56.0
1N5947B	DO-41	1.5	82.00	-	-	1.00	62.2
1N5948B	DO-41	1.5	91.00	-	-	1.00	69.2
1N5949B	DO-41	1.5	100.00	-	-	1.00	76.0
1N5950B	DO-41	1.5	110.00	-	-	1.00	83.6
1N5951B	DO-41	1.5	120.00	-	-	1.00	91.2
1N5952B	DO-41	1.5	130.00	-	-	1.00	98.8
1N5953B	DO-41	1.5	150.00	-	-	1.00	114.0
1N5954B	DO-41	1.5	160.00	-	-	1.00	121.6
1N5955B	DO-41	1.5	180.00	-	-	1.00	136.8
1N5956B	DO-41	1.5	200.00	-	-	1.00	152.0
1N5913B	DO-15	1.5	3.30	-	-	100.00	1.0
1N5914B	DO-15	1.5	3.60	-	-	75.00	1.0
1N5915B	DO-15	1.5	3.90	-	-	25.00	1.0
1N5916B	DO-15	1.5	4.30	-	-	5.00	1.0
1N5917B	DO-15	1.5	4.70	-	-	5.00	1.5
1N5918B	DO-15	1.5	5.10	-	-	5.00	2.0
1N5919B	DO-15	1.5	5.60	-	-	5.00	3.0
1N5920B	DO-15	1.5	6.20	-	-	5.00	4.0
1N5921B	DO-15	1.5	6.80	-	-	5.00	5.2
1N5922B	DO-15	1.5	7.50	-	-	5.00	6.0
1N5923B	DO-15	1.5	8.20	-	-	5.00	6.5
1N5924B	DO-15	1.5	9.10	-	-	5.00	7.0
1N5925B	DO-15	1.5	10.00	-	-	5.00	8.0
1N5926B	DO-15	1.5	11.00	-	-	1.00	8.4
1N5927B	DO-15	1.5	12.00	-	-	1.00	9.1

1N5928B	DO-15	1.5	13.00	-	-	1.00	9.9
1N5929B	DO-15	1.5	15.00	-	-	1.00	11.4
1N5930B	DO-15	1.5	16.00	-	-	1.00	12.2
1N5931B	DO-15	1.5	18.00	-	-	1.00	13.7
1N5932B	DO-15	1.5	20.00	-	-	1.00	15.2
1N5933B	DO-15	1.5	22.00	-	-	1.00	16.7
1N5934B	DO-15	1.5	24.00	-	-	1.00	18.2
1N5935B	DO-15	1.5	27.00	-	-	1.00	20.6
1N5936B	DO-15	1.5	30.00	-	-	1.00	22.8
1N5937B	DO-15	1.5	33.00	-	-	1.00	25.1
1N5938B	DO-15	1.5	36.00	-	-	1.00	27.4
1N5939B	DO-15	1.5	39.00	-	-	1.00	29.7
1N5940B	DO-15	1.5	43.00	-	-	1.00	32.7
1N5941B	DO-15	1.5	47.00	-	-	1.00	35.8
1N5942B	DO-15	1.5	51.00	-	-	1.00	38.8
1N5943B	DO-15	1.5	56.00	-	-	1.00	42.6
1N5944B	DO-15	1.5	62.00	-	-	1.00	47.1
1N5945B	DO-15	1.5	68.00	-	-	1.00	51.2
1N5946B	DO-15	1.5	75.00	-	-	1.00	56.0
1N5947B	DO-15	1.5	82.00	-	-	1.00	62.2
1N5948B	DO-15	1.5	91.00	-	-	1.00	69.2
1N5949B	DO-15	1.5	100.00	-	-	1.00	76.0
1N5950B	DO-15	1.5	110.00	-	-	1.00	83.6
1N5951B	DO-15	1.5	120.00	-	-	1.00	91.2
1N5952B	DO-15	1.5	130.00	-	-	1.00	98.8
1N5953B	DO-15	1.5	150.00	-	-	1.00	114.0
1N5954B	DO-15	1.5	160.00	-	-	1.00	121.6
1N5955B	DO-15	1.5	180.00	-	-	1.00	136.8
1N5956B	DO-15	1.5	200.00	-	-	1.00	152.0
2EZ2.7D5	DO-41	2.0	2.70	-	-	100.00	1.0
2EZ3.0D5	DO-41	2.0	3.00	-	-	100.00	1.0
2EZ3.3D5	DO-41	2.0	3.30	-	-	80.00	1.0
2EZ3.6D5	DO-41	2.0	3.60	-	-	80.00	1.0
2EZ3.9D5	DO-41	2.0	3.90	-	-	30.00	1.0

2EZ4.3D5	DO-41	2.0	4.30	-	-	20.00	1.0
2EZ4.7D5	DO-41	2.0	4.70	-	-	5.00	1.0
2EZ5.1D5	DO-41	2.0	5.10	-	-	5.00	1.0
2EZ5.6D5	DO-41	2.0	5.60	-	-	5.00	2.0
2EZ6.2D5	DO-41	2.0	6.20	-	-	5.00	3.0
2EZ6.8D5	DO-41	2.0	6.80	-	-	5.00	4.0
2EZ7.5D5	DO-41	2.0	7.50	-	-	5.00	5.0
2EZ8.2D5	DO-41	2.0	8.20	-	-	5.00	6.0
2EZ9.1D5	DO-41	2.0	9.10	-	-	3.00	7.0
2EZ10D5	DO-41	2.0	10.00	-	-	3.00	7.6
2EZ11D5	DO-41	2.0	11.00	-	-	1.00	8.4
2ZE12D5	DO-41	2.0	12.00	-	-	1.00	9.1
2EZ13D5	DO-41	2.0	13.00	-	-	0.50	9.9
2EZ14D5	DO-41	2.0	14.00	-	-	0.50	10.6
2EZ15D5	DO-41	2.0	15.00	-	-	0.50	11.4
2EZ16D5	DO-41	2.0	16.00	-	-	0.50	12.2
2EZ17D5	DO-41	2.0	17.00	-	-	0.50	13.0
2EZ18D5	DO-41	2.0	18.00	-	-	0.50	13.7
2EZ19D5	DO-41	2.0	19.00	-	-	0.50	14.4
2EZ20D5	DO-41	2.0	20.00	-	-	0.50	15.2
2EZ22D5	DO-41	2.0	22.00	-	-	0.50	16.7
2EZ24D5	DO-41	2.0	24.00	-	-	0.50	18.2
2EZ27D5	DO-41	2.0	27.00	-	-	0.50	20.6
2EZ30D5	DO-41	2.0	30.00	-	-	0.50	22.5
2EZ33D5	DO-41	2.0	33.00	-	-	0.50	25.1
2EZ36D5	DO-41	2.0	36.00	-	-	0.50	27.4
2EZ39D5	DO-41	2.0	39.00	-	-	0.50	29.7
2EZ43D5	DO-41	2.0	43.00	-	-	0.50	32.7
2EZ47D5	DO-41	2.0	47.00	-	-	0.50	35.8
2EZ51D5	DO-41	2.0	51.00	-	-	0.50	38.8
2EZ56D5	DO-41	2.0	56.00	-	-	0.50	42.6
2EZ62D5	DO-41	2.0	62.00	-	-	0.50	47.1
2EZ68D5	DO-41	2.0	68.00	-	-	0.50	51.7
2EZ75D5	DO-41	2.0	75.00	-	-	0.50	56.0

2EZ82D5	DO-41	2.0	82.00	-	-	0.50	62.2
2EZ91D5	DO-41	2.0	91.00	-	-	0.50	69.2
2EZ100D5	DO-41	2.0	100.00	-	-	0.50	76.0
2EZ2.7D5	DO-15	2.0	2.70	-	-	100.00	1.0
2EZ3.0D5	DO-15	2.0	3.00	-	-	100.00	1.0
2EZ3.3D5	DO-15	2.0	3.30	-	-	80.00	1.0
2EZ3.6D5	DO-15	2.0	3.60	-	-	80.00	1.0
2EZ3.9D5	DO-15	2.0	3.90	-	-	30.00	1.0
2EZ4.3D5	DO-15	2.0	4.30	-	-	20.00	1.0
2EZ4.7D5	DO-15	2.0	4.70	-	-	5.00	1.0
2EZ5.1D5	DO-15	2.0	5.10	-	-	5.00	1.0
2EZ5.6D5	DO-15	2.0	5.60	-	-	5.00	2.0
2EZ6.2D5	DO-15	2.0	6.20	-	-	5.00	3.0
2EZ6.8D5	DO-15	2.0	6.80	-	-	5.00	4.0
2EZ7.5D5	DO-15	2.0	7.50	-	-	5.00	5.0
2EZ8.2D5	DO-15	2.0	8.20	-	-	5.00	6.0
2EZ9.1D5	DO-15	2.0	9.10	-	-	3.00	7.0
2EZ10D5	DO-15	2.0	10.00	-	-	3.00	7.6
2EZ11D5	DO-15	2.0	11.00	-	-	1.00	8.4
2EZ12D5	DO-15	2.0	12.00	-	-	1.00	9.1
2EZ13D5	DO-15	2.0	13.00	-	-	0.50	9.9
2EZ14D5	DO-15	2.0	14.00	-	-	0.50	10.6
2EZ15D5	DO-15	2.0	15.00	-	-	0.50	11.4
2EZ16D5	DO-15	2.0	16.00	-	-	0.50	12.2
2EZ17D5	DO-15	2.0	17.00	-	-	0.50	13.0
2EZ18D5	DO-15	2.0	18.00	-	-	0.50	13.7
2EZ19D5	DO-15	2.0	19.00	-	-	0.50	14.4
2EZ20D5	DO-15	2.0	20.00	-	-	0.50	15.2
2EZ22D5	DO-15	2.0	22.00	-	-	0.50	16.7
2EZ24D5	DO-15	2.0	24.00	-	-	0.50	18.2
2EZ27D5	DO-15	2.0	27.00	-	-	0.50	20.6
2EZ30D5	DO-15	2.0	30.00	-	-	0.50	22.5
2EZ33D5	DO-15	2.0	33.00	-	-	0.50	25.1
2EZ36D5	DO-15	2.0	36.00	-	-	0.50	27.4

2EZ39D5	DO-15	2.0	39.00	-	-	0.50	29.7
2EZ43D5	DO-15	2.0	43.00	-	-	0.50	32.7
2EZ47D5	DO-15	2.0	47.00	-	-	0.50	35.8
2EZ51D5	DO-15	2.0	51.00	-	-	0.50	38.8
2EZ56D5	DO-15	2.0	56.00	-	-	0.50	42.6
2EZ62D5	DO-15	2.0	62.00	-	-	0.50	47.1
2EZ68D5	DO-15	2.0	68.00	-	-	0.50	51.7
2EZ75D5	DO-15	2.0	75.00	-	-	0.50	56.0
2EZ82D5	DO-15	2.0	82.00	-	-	0.50	62.2
2EZ91D5	DO-15	2.0	91.00	-	-	0.50	69.2
2EZ100D5	DO-15	2.0	100.00	-	-	0.50	76.0
1N5913B	DO-41	3.0	3.30	-	-	100.00	1.0
1N5914B	DO-41	3.0	3.60	-	-	75.00	1.0
1N5915B	DO-41	3.0	3.90	-	-	25.00	1.0
1N5916B	DO-41	3.0	4.30	-	-	5.00	1.0
1N5917B	DO-41	3.0	4.70	-	-	5.00	1.5
1N5918B	DO-41	3.0	5.10	-	-	5.00	2.0
1N5919B	DO-41	3.0	5.60	-	-	5.00	3.0
1N5920B	DO-41	3.0	6.20	-	-	5.00	4.0
1N5921B	DO-41	3.0	6.80	-	-	5.00	5.2
1N5922B	DO-41	3.0	7.50	-	-	5.00	6.0
1N5923B	DO-41	3.0	8.20	-	-	5.00	6.5
1N5924B	DO-41	3.0	9.10	-	-	5.00	7.0
1N5925B	DO-41	3.0	10.00	-	-	5.00	8.0
1N5926B	DO-41	3.0	11.00	-	-	1.00	8.4
1N5927B	DO-41	3.0	12.00	-	-	1.00	9.1
1N5928B	DO-41	3.0	13.00	-	-	1.00	9.9
1N5929B	DO-41	3.0	15.00	-	-	1.00	11.4
1N5930B	DO-41	3.0	16.00	-	-	1.00	12.2
1N5931B	DO-41	3.0	18.00	-	-	1.00	13.7
1N5932B	DO-41	3.0	20.00	-	-	1.00	15.2
1N5933B	DO-41	3.0	22.00	-	-	1.00	16.7
1N5934B	DO-41	3.0	24.00	-	-	1.00	18.2
1N5935B	DO-41	3.0	27.00	-	-	1.00	20.6

1N5936B	DO-41	3.0	30.00	-	-	1.00	22.8
1N5937B	DO-41	3.0	33.00	-	-	1.00	25.1
1N5938B	DO-41	3.0	36.00	-	-	1.00	27.4
1N5939B	DO-41	3.0	39.00	-	-	1.00	29.7
1N5940B	DO-41	3.0	43.00	-	-	1.00	32.7
1N5941B	DO-41	3.0	47.00	-	-	1.00	35.8
1N5942B	DO-41	3.0	51.00	-	-	1.00	38.8
1N5943B	DO-41	3.0	56.00	-	-	1.00	42.6
1N5944B	DO-41	3.0	62.00	-	-	1.00	47.1
1N5945B	DO-41	3.0	68.00	-	-	1.00	51.2
1N5946B	DO-41	3.0	75.00	-	-	1.00	56.0
1N5947B	DO-41	3.0	82.00	-	-	1.00	62.2
1N5948B	DO-41	3.0	91.00	-	-	1.00	69.2
1N5949B	DO-41	3.0	100.00	-	-	1.00	76.0
1N5950B	DO-41	3.0	110.00	-	-	1.00	83.6
1N5951B	DO-41	3.0	120.00	-	-	1.00	91.2
1N5952B	DO-41	3.0	130.00	-	-	1.00	98.8
1N5953B	DO-41	3.0	150.00	-	-	1.00	114.0
1N5954B	DO-41	3.0	160.00	-	-	1.00	121.6
1N5955B	DO-41	3.0	180.00	-	-	1.00	136.8
1N5956B	DO-41	3.0	200.00	-	-	1.00	152.0
3EZ3.3D5	DO-41	3.0	3.30	-	-	100.00	1.0
3EZ3.6D5	DO-41	3.0	3.60	-	-	75.00	1.0
3EZ3.9D5	DO-41	3.0	3.90	-	-	80.00	1.0
3EZ4.3D5	DO-41	3.0	4.30	-	-	30.00	1.0
3EZ4.7D5	DO-41	3.0	4.70	-	-	20.00	1.0
3EZ5.1D5	DO-41	3.0	5.10	-	-	5.00	1.0
3EZ5.6D5	DO-41	3.0	5.60	-	-	5.00	2.0
3EZ6.2D5	DO-41	3.0	6.20	-	-	5.00	3.0
3EZ6.8D5	DO-41	3.0	6.80	-	-	50.00	4.0
3EZ7.5D5	DO-41	3.0	7.50	-	-	50.00	5.0
3EZ8.2D5	DO-41	3.0	8.20	-	-	50.00	6.0
3EZ9.1D5	DO-41	3.0	9.10	-	-	50.00	7.0
3EZ10D5	DO-41	3.0	10.00	-	-	50.00	7.6

3EZ11D5	DO-41	3.0	11.00	-	-	50.00	8.4
3EZ12D5	DO-41	3.0	12.00	-	-	1.00	9.1
3EZ13D5	DO-41	3.0	13.00	-	-	0.50	9.9
3EZ14D5	DO-41	3.0	14.00	-	-	0.50	10.6
3EZ15D5	DO-41	3.0	15.00	-	-	0.50	11.4
3EZ16D5	DO-41	3.0	16.00	-	-	0.50	12.2
3EZ17D5	DO-41	3.0	17.00	-	-	0.50	13.0
3EZ18D5	DO-41	3.0	18.00	-	-	0.50	13.7
3EZ19D5	DO-41	3.0	19.00	-	-	0.50	14.4
3EZ20D5	DO-41	3.0	20.00	-	-	0.50	15.2
3EZ22D5	DO-41	3.0	22.00	-	-	0.50	16.7
3EZ24D5	DO-41	3.0	24.00	-	-	0.50	18.2
3EZ27D5	DO-41	3.0	27.00	-	-	0.50	20.6
3EZ28D5	DO-41	3.0	28.00	-	-	0.50	21.0
3EZ30D5	DO-41	3.0	30.00	-	-	0.50	22.5
3EZ33D5	DO-41	3.0	33.00	-	-	0.50	25.1
3EZ36D5	DO-41	3.0	36.00	-	-	0.50	27.4
3EZ39D5	DO-41	3.0	39.00	-	-	0.50	29.7
3EZ43D5	DO-41	3.0	43.00	-	-	0.50	32.7
3EZ47D5	DO-41	3.0	47.00	-	-	0.50	35.6
3EZ51D5	DO-41	3.0	51.00	-	-	0.50	38.8
3EZ56D5	DO-41	3.0	56.00	-	-	0.50	42.6
3EZ62D5	DO-41	3.0	62.00	-	-	0.50	47.1
3EZ68D5	DO-41	3.0	68.00	-	-	0.50	51.7
3EZ75D5	DO-41	3.0	75.00	-	-	0.50	56.0
3EZ82D5	DO-41	3.0	82.00	-	-	0.50	62.2
3EZ91D5	DO-41	3.0	91.00	-	-	0.50	69.2
3EZ100D5	DO-41	3.0	100.00	-	-	0.50	76.0
3EZ3.3D5	DO-15	3.0	3.30	-	-	100.00	1.0
3EZ3.6D5	DO-15	3.0	3.60	-	-	75.00	1.0
3EZ3.9D5	DO-15	3.0	3.90	-	-	80.00	1.0
3EZ4.3D5	DO-15	3.0	4.30	-	-	30.00	1.0
3EZ4.7D5	DO-15	3.0	4.70	-	-	20.00	1.0
3EZ5.1D5	DO-15	3.0	5.10	-	-	5.00	1.0

3EZ5.6D5	DO-15	3.0	5.60	-	-	5.00	2.0
3EZ6.2D5	DO-15	3.0	6.20	-	-	5.00	3.0
3EZ6.8D6	DO-15	3.0	6.80	-	-	50.00	4.0
3EZ7.5D5	DO-15	3.0	7.50	-	-	50.00	5.0
3EZ8.2D5	DO-15	3.0	8.20	-	-	50.00	6.0
3EZ9.1D5	DO-15	3.0	9.10	-	-	50.00	7.0
3EZ10D5	DO-15	3.0	10.00	-	-	50.00	7.6
3EZ11D5	DO-15	3.0	11.00	-	-	50.00	8.4
3EZ12D5	DO-15	3.0	12.00	-	-	1.00	9.1
3EZ13D5	DO-15	3.0	13.00	-	-	0.50	9.9
3EZ15D5	DO-15	3.0	15.00	-	-	0.50	11.4
3EZ16D5	DO-15	3.0	16.00	-	-	0.50	12.2
3EZ18D5	DO-15	3.0	18.00	-	-	0.50	13.7
3EZ20D5	DO-15	3.0	20.00	-	-	0.50	15.2
3EZ22D5	DO-15	3.0	22.00	-	-	0.50	16.7
3EZ24D5	DO-15	3.0	24.00	-	-	0.50	18.2
3EZ27D5	DO-15	3.0	27.00	-	-	0.50	20.6
3EZ30D5	DO-15	3.0	30.00	-	-	0.50	22.5
3EZ33D5	DO-15	3.0	33.00	-	-	0.50	25.1
3EZ36D5	DO-15	3.0	36.00	-	-	0.50	27.4
3EZ39D5	DO-15	3.0	39.00	-	-	0.50	29.7
3EZ43D5	DO-15	3.0	43.00	-	-	0.50	32.7
3EZ47D5	DO-15	3.0	47.00	-	-	0.50	35.6
3EZ51D5	DO-15	3.0	51.00	-	-	0.50	38.8
3EZ56D5	DO-15	3.0	56.00	-	-	0.50	42.6
3EZ62D5	DO-15	3.0	62.00	-	-	0.50	47.1
3EZ68D5	DO-15	3.0	68.00	-	-	0.50	51.7
3EZ75D5	DO-15	3.0	75.00	-	-	0.00	56.0
3EZ82D5	DO-15	3.0	82.00	-	-	0.50	62.2
3EZ91D5	DO-15	3.0	91.00	-	-	0.50	69.2
3EZ100D5	DO-15	3.0	100.00	-	-	0.50	76.0
3EZ110D5	DO-15	3.0	110.00	-	-	0.50	83.6
3EZ120D5	DO-15	3.0	120.00	-	-	0.50	91.2
3EZ130D5	DO-15	3.0	130.00	-	-	0.50	98.8

3EZ140D5	DO-15	3.0	140.00	-	-	0.50	106.4
3EZ150D5	DO-15	3.0	150.00	-	-	0.50	114.0
3EZ160D5	DO-15	3.0	160.00	-	-	0.50	121.6
3EZ170D5	DO-15	3.0	170.00	-	-	0.50	130.4
3EZ180D5	DO-15	3.0	180.00	-	-	0.50	136.8
3EZ190D5	DO-15	3.0	190.00	-	-	0.50	144.8
3EZ200D5	DO-15	3.0	200.00	-	-	0.50	152.0
1N5333B	DO-15	5.0	3.30	-	-	300.00	1.0
1N5334B	DO-15	5.0	3.60	-	-	150.00	1.0
1N5335B	DO-15	5.0	3.90	-	-	50.00	1.0
1N5336B	DO-15	5.0	4.30	-	-	10.00	1.0
1N5337B	DO-15	5.0	4.70	-	-	5.00	1.0
1N5338B	DO-15	5.0	5.10	-	-	1.00	1.0
1N5339B	DO-15	5.0	5.60	-	-	1.00	2.0
1N5340B	DO-15	5.0	6.00	-	-	1.00	3.0
1N5341B	DO-15	5.0	6.20	-	-	1.00	3.0
1N5342B	DO-15	5.0	6.80	-	-	10.00	5.2
1N5343B	DO-15	5.0	7.50	-	-	10.00	5.7
1N5344B	DO-15	5.0	8.20	-	-	10.00	6.2
1N5345B	DO-15	5.0	8.70	-	-	10.00	6.6
1N5346B	DO-15	5.0	9.10	-	-	7.50	6.9
1N5347B	DO-15	5.0	10.00	-	-	5.00	7.6
1N5348B	DO-15	5.0	11.00	-	-	5.00	8.4
1N5349B	DO-15	5.0	12.00	-	-	2.00	9.1
1N5350B	DO-15	5.0	13.00	-	-	1.00	9.9
1N5351B	DO-15	5.0	14.00	-	-	1.00	10.6
1N5352B	DO-15	5.0	15.00	-	-	1.00	11.5
1N5353B	DO-15	5.0	16.00	-	-	1.00	12.2
1N5354B	DO-15	5.0	17.00	-	-	0.50	12.9
1N5355B	DO-15	5.0	18.00	-	-	0.50	13.7
1N5356B	DO-15	5.0	19.00	-	-	0.50	14.4
1N5357B	DO-15	5.0	20.00	-	-	0.50	15.2
1N5358B	DO-15	5.0	22.00	-	-	0.50	16.7
1N5359B	DO-15	5.0	24.00	-	-	0.50	18.2

1N5360B	DO-15	5.0	25.00	-	-	0.50	19.0
1N5361B	DO-15	5.0	27.00	-	-	0.50	20.6
1N5362B	DO-15	5.0	28.00	-	-	0.50	21.2
1N5363B	DO-15	5.0	30.00	-	-	0.50	22.8
1N5364B	DO-15	5.0	33.00	-	-	0.50	25.1
1N5365B	DO-15	5.0	36.00	-	-	0.50	27.4
1N5366B	DO-15	5.0	39.00	-	-	0.50	29.7
1N5367B	DO-15	5.0	43.00	-	-	0.50	32.7
1N5368B	DO-15	5.0	47.00	-	-	0.50	35.8
1N5369B	DO-15	5.0	51.00	-	-	0.50	38.8
1N5370B	DO-15	5.0	56.00	-	-	0.50	42.6
1N5371B	DO-15	5.0	60.00	-	-	0.50	42.5
1N5372B	DO-15	5.0	62.00	-	-	0.50	47.1
1N5373B	DO-15	5.0	68.00	-	-	0.50	51.7
1N5374B	DO-15	5.0	75.00	-	-	0.50	56.0
1N5375B	DO-15	5.0	82.00	-	-	0.50	62.2
1N5376B	DO-15	5.0	87.00	-	-	0.50	66.0
1N5377B	DO-15	5.0	91.00	-	-	0.50	69.2
1N5378B	DO-15	5.0	100.00	-	-	0.50	76.0
1N5379B	DO-15	5.0	110.00	-	-	0.50	83.6
1N5380B	DO-15	5.0	120.00	-	-	0.50	91.2
1N5381B	DO-15	5.0	130.00	-	-	0.50	98.8
1N5382B	DO-15	5.0	140.00	-	-	0.50	106.0
1N5383B	DO-15	5.0	150.00	-	-	0.50	114.0
1N5384B	DO-15	5.0	160.00	-	-	0.50	122.0
1N5385B	DO-15	5.0	170.00	-	-	0.50	129.0
1N5386B	DO-15	5.0	180.00	-	-	0.50	137.0
1N5387B	DO-15	5.0	190.00	-	-	0.50	144.0
1N5388B	DO-15	5.0	200.00	-	-	0.50	152.0
1N5333B	DO-27	5.0	3.30	-	-	300.00	1.0
1N5334B	DO-27	5.0	3.60	-	-	150.00	1.0
1N5335B	DO-27	5.0	3.90	-	-	50.00	1.0
1N5336B	DO-27	5.0	4.30	-	-	10.00	1.0
1N5337B	DO-27	5.0	4.70	-	-	5.00	1.0

1N5338B	DO-27	5.0	5.10	-	-	1.00	1.0
1N5339B	DO-27	5.0	5.60	-	-	1.00	2.0
1N5340B	DO-27	5.0	6.00	-	-	1.00	3.0
1N5341B	DO-27	5.0	6.20	-	-	1.00	3.0
1N5342B	DO-27	5.0	6.80	-	-	10.00	5.2
1N5343B	DO-27	5.0	7.50	-	-	10.00	5.7
1N5344B	DO-27	5.0	8.20	-	-	10.00	6.2
1N5345B	DO-27	5.0	8.70	-	-	10.00	6.6
1N5346B	DO-27	5.0	9.10	-	-	7.50	6.9
1N5347B	DO-27	5.0	10.00	-	-	5.00	7.6
1N5348B	DO-27	5.0	11.00	-	-	5.00	8.4
1N5349B	DO-27	5.0	12.00	-	-	2.00	9.1
1N5350B	DO-27	5.0	13.00	-	-	1.00	9.9
1N5351B	DO-27	5.0	14.00	-	-	1.00	10.6
1N5352B	DO-27	5.0	15.00	-	-	1.00	11.5
1N5353B	DO-27	5.0	16.00	-	-	1.00	12.2
1N5354B	DO-27	5.0	17.00	-	-	0.50	12.9
1N5355B	DO-27	5.0	18.00	-	-	0.50	13.7
1N5356B	DO-27	5.0	19.00	-	-	0.50	14.4
1N5357B	DO-27	5.0	20.00	-	-	0.50	15.2
1N5358B	DO-27	5.0	22.00	-	-	0.50	16.7
1N5359B	DO-27	5.0	24.00	-	-	0.50	18.2
1N5360B	DO-27	5.0	25.00	-	-	0.50	19.0
1N5361B	DO-27	5.0	27.00	-	-	0.50	20.6
1N5362B	DO-27	5.0	28.00	-	-	0.50	21.2
1N5363B	DO-27	5.0	30.00	-	-	0.50	22.8
1N5364B	DO-27	5.0	33.00	-	-	0.50	25.1
1N5365B	DO-27	5.0	36.00	-	-	0.50	27.4
1N5366B	DO-27	5.0	39.00	-	-	0.50	29.7
1N5367B	DO-27	5.0	43.00	-	-	0.50	32.7
1N5368B	DO-27	5.0	47.00	-	-	0.50	35.8
1N5369B	DO-27	5.0	51.00	-	-	0.50	38.8
1N5370B	DO-27	5.0	56.00	-	-	0.50	42.6
1N5371B	DO-27	5.0	60.00	-	-	0.50	42.5

1N5372B	DO-27	5.0	62.00	-	-	0.50	47.1
1N5373B	DO-27	5.0	68.00	-	-	0.50	51.7
1N5374B	DO-27	5.0	75.00	-	-	0.50	56.0
1N5375B	DO-27	5.0	82.00	-	-	0.50	62.2
1N5376B	DO-27	5.0	87.00	-	-	0.50	66.0
1N5377B	DO-27	5.0	91.00	-	-	0.50	69.2
1N5378B	DO-27	5.0	100.00	-	-	0.50	76.0
1N5379B	DO-27	5.0	110.00	-	-	0.50	83.6
1N5380B	DO-27	5.0	120.00	-	-	0.50	91.2
1N5381B	DO-27	5.0	130.00	-	-	0.50	98.8
1N5382B	DO-27	5.0	140.00	-	-	0.50	106.0
1N5383B	DO-27	5.0	150.00	-	-	0.50	114.0
1N5384B	DO-27	5.0	160.00	-	-	0.50	122.0
1N5385B	DO-27	5.0	170.00	-	-	0.50	129.0
1N5386B	DO-27	5.0	180.00	-	-	0.50	137.0
1N5387B	DO-27	5.0	190.00	-	-	0.50	144.0
1N5388B	DO-27	5.0	200.00	-	-	0.50	152.0
BZX584B2V4	SOD-523	0.15	2.40	2.35	2.45	50.00	1.0
BZX584B2V7	SOD-523	0.15	2.70	2.65	2.75	20.00	1.0
BZX584B3V0	SOD-523	0.15	3.00	2.94	3.06	10.00	1.0
BZX584B3V3	SOD-523	0.15	3.30	3.23	3.37	5.00	1.0
BZX584B3V6	SOD-523	0.15	3.60	3.53	3.67	5.00	1.0
BZX584B3V9	SOD-523	0.15	3.90	3.82	3.98	3.00	1.0
BZX584B4V3	SOD-523	0.15	4.30	4.21	4.39	3.00	1.0
BZX584B4V7	SOD-523	0.15	4.70	4.61	4.79	3.00	2.0
BZX584B5V1	SOD-523	0.15	5.10	5.00	5.20	2.00	2.0
BZX584B5V6	SOD-523	0.15	5.60	5.49	5.71	1.00	2.0
BZX584B6V2	SOD-523	0.15	6.20	6.08	6.32	3.00	4.0
BZX584B6V8	SOD-523	0.15	6.80	6.66	6.94	2.00	4.0
BZX584B7V5	SOD-523	0.15	7.50	7.35	7.65	1.00	5.0
BZX584B8V2	SOD-523	0.15	8.20	8.04	8.36	0.70	5.0
BZX584B9V1	SOD-523	0.15	9.10	8.92	9.28	0.50	6.0
BZX584B10	SOD-523	0.15	10.00	9.80	10.20	0.20	7.0
BZX584B11	SOD-523	0.15	11.00	10.78	11.22	0.10	8.0

BZX584B12	SOD-523	0.15	12.00	11.76	12.24	0.10	8.0
BZX584B13	SOD-523	0.15	13.00	12.74	13.26	0.10	8.0
BZX584B15	SOD-523	0.15	15.00	14.70	15.30	0.10	10.5
BZX584B16	SOD-523	0.15	16.00	15.68	16.32	0.10	11.2
BZX584B18	SOD-523	0.15	18.00	17.64	18.36	0.10	12.6
BZX584B20	SOD-523	0.15	20.00	19.60	20.40	0.10	14.0
BZX584B22	SOD-523	0.15	22.00	21.56	22.44	0.10	15.4
BZX584B24	SOD-523	0.15	24.00	23.52	24.48	0.10	16.8
BZX584B27	SOD-523	0.15	27.00	26.46	27.54	0.10	18.9
BZX584B30	SOD-523	0.15	30.00	29.40	30.60	0.10	21.0
BZX584B33	SOD-523	0.15	33.00	32.34	33.66	0.10	23.1
BZX584B36	SOD-523	0.15	36.00	35.28	36.72	0.10	25.2
BZX584B39	SOD-523	0.15	39.00	38.22	39.78	0.10	27.3
BZX584C2V4	SOD-523	0.15	2.40	2.20	2.60	50.00	1.0
BZX584C2V7	SOD-523	0.15	2.70	2.50	2.90	20.00	1.0
BZX584C3V0	SOD-523	0.15	3.00	2.80	3.20	10.00	1.0
BZX584C3V3	SOD-523	0.15	3.30	3.10	3.50	5.00	1.0
BZX584C3V6	SOD-523	0.15	3.60	3.40	3.80	5.00	1.0
BZX584C3V9	SOD-523	0.15	3.90	3.70	4.10	3.00	1.0
BZX584C4V3	SOD-523	0.15	4.30	4.00	4.60	3.00	1.0
BZX584C4V7	SOD-523	0.15	4.70	4.40	5.00	3.00	2.0
BZX584C5V1	SOD-523	0.15	5.10	4.80	5.40	2.00	2.0
BZX584C5V6	SOD-523	0.15	5.60	5.20	6.00	1.00	2.0
BZX584C6V2	SOD-523	0.15	6.20	5.80	6.60	3.00	4.0
BZX584C6V8	SOD-523	0.15	6.80	6.40	7.20	2.00	4.0
BZX584C7V5	SOD-523	0.15	7.50	7.00	7.90	1.00	5.0
BZX584C8V2	SOD-523	0.15	8.20	7.70	8.70	0.70	5.0
BZX584C9V1	SOD-523	0.15	9.10	8.50	9.60	0.50	6.0
BZX584C10	SOD-523	0.15	10.00	9.40	10.60	0.20	7.0
BZX584C11	SOD-523	0.15	11.00	10.40	11.60	0.10	8.0
BZX584C12	SOD-523	0.15	12.00	11.40	12.70	0.10	8.0
BZX584C13	SOD-523	0.15	13.00	12.40	14.10	0.10	8.0
BZX584C15	SOD-523	0.15	15.00	13.80	15.60	0.10	10.5
BZX584C16	SOD-523	0.15	16.00	15.30	17.10	0.10	11.2

BZX584C18	SOD-523	0.15	18.00	16.80	19.10	0.10	12.6
BZX584C20	SOD-523	0.15	20.00	18.80	21.20	0.10	14.0
BZX584C22	SOD-523	0.15	22.00	20.80	23.30	0.10	15.4
BZX584C24	SOD-523	0.15	24.00	22.80	25.60	0.10	16.8
BZX584C27	SOD-523	0.15	27.00	25.10	28.90	0.10	18.9
BZX584C30	SOD-523	0.15	30.00	28.00	32.00	0.10	21.0
BZX584C33	SOD-523	0.15	33.00	31.00	35.00	0.10	23.1
BZX584C36	SOD-523	0.15	36.00	34.00	38.00	0.10	25.2
BZX584C39	SOD-523	0.15	39.00	37.00	41.00	0.10	27.3
MM5Z2B4	SOD-523	0.2	2.40	2.352	2.448	120.00	1.0
MM5Z2B7	SOD-523	0.2	2.70	2.646	2.754	120.00	1.0
MM5Z3B0	SOD-523	0.2	3.00	2.940	3.060	50.00	1.0
MM5Z3B3	SOD-523	0.2	3.30	3.234	3.366	20.00	1.0
MM5Z3B6	SOD-523	0.2	3.60	3.528	3.672	10.00	1.0
MM5Z3B9	SOD-523	0.2	3.90	3.822	3.978	5.00	1.0
MM5Z4B3	SOD-523	0.2	4.30	4.214	4.386	5.00	1.0
MM5Z4B7	SOD-523	0.2	4.70	4.606	4.794	2.00	1.0
MM5Z5B1	SOD-523	0.2	5.10	4.998	5.202	2.00	1.5
MM5Z5B6	SOD-523	0.2	5.60	5.488	5.712	1.00	2.5
MM5Z6B2	SOD-523	0.2	6.20	6.076	6.324	1.00	3.0
MM5Z6B8	SOD-523	0.2	6.80	6.664	6.936	0.50	3.5
MM5Z7B5	SOD-523	0.2	7.50	7.350	7.650	0.50	4.0
MM5Z8B2	SOD-523	0.2	8.20	8.036	8.364	0.50	5.0
MM5Z9B1	SOD-523	0.2	9.10	8.918	9.282	0.50	6.0
MM5ZB10	SOD-523	0.2	10.00	9.80	10.20	0.10	7.0
MM5ZB11	SOD-523	0.2	11.00	10.78	11.22	0.10	8.0
MM5ZB12	SOD-523	0.2	12.00	11.76	12.24	0.10	9.0
MM5ZB13	SOD-523	0.2	13.00	12.74	13.26	0.10	10.0
MM5ZB15	SOD-523	0.2	15.00	14.70	15.30	0.10	11.0
MM5ZB16	SOD-523	0.2	16.00	15.68	16.32	0.10	12.0
MM5ZB18	SOD-523	0.2	18.00	17.64	18.36	0.10	13.0
MM5ZB20	SOD-523	0.2	20.00	19.60	20.40	0.10	15.0
MM5ZB22	SOD-523	0.2	22.00	21.56	22.44	0.10	17.0
MM5ZB24	SOD-523	0.2	24.00	23.52	24.48	0.10	19.0

MM5ZB27	SOD-523	0.2	27.00	26.46	27.54	0.10	21.0
MM5ZB30	SOD-523	0.2	30.00	29.40	30.60	0.10	23.0
MM5ZB33	SOD-523	0.2	33.00	32.34	33.66	0.10	25.0
MM5ZB36	SOD-523	0.2	36.00	35.28	36.72	0.10	27.0
MM5ZB39	SOD-523	0.2	39.00	38.22	39.78	2.00	30.0
MM5ZB43	SOD-523	0.2	43.00	42.14	43.86	2.00	33.0
MM5ZB47	SOD-523	0.2	47.00	46.06	47.94	2.00	36.0
MM5ZB51	SOD-523	0.2	51.00	49.98	52.02	1.00	39.0
MM5ZB56	SOD-523	0.2	56.00	54.88	57.12	1.00	43.0
MM5ZB62	SOD-523	0.2	62.00	60.76	63.24	0.20	47.0
MM5ZB68	SOD-523	0.2	68.00	66.64	69.36	0.20	52.0
MM5ZB75	SOD-523	0.2	75.00	73.50	76.50	0.20	57.0
MM5Z2V0	SOD-523	0.2	2.00	1.80	2.15	120.00	0.5
MM5Z2V2	SOD-523	0.2	2.20	2.08	2.33	120.00	0.7
MM5Z2V4	SOD-523	0.2	2.40	2.20	2.60	120.00	1.0
MM5Z2V7	SOD-523	0.2	2.70	2.50	2.90	120.00	1.0
MM5Z3V0	SOD-523	0.2	3.00	2.80	3.20	50.00	1.0
MM5Z3V3	SOD-523	0.2	3.30	3.10	3.50	20.00	1.0
MM5Z3V6	SOD-523	0.2	3.60	3.40	3.80	10.00	1.0
MM5Z3V9	SOD-523	0.2	3.90	3.70	4.10	5.00	1.0
MM5Z4V3	SOD-523	0.2	4.30	4.00	4.60	5.00	1.0
MM5Z4V7	SOD-523	0.2	4.70	4.40	5.00	2.00	1.0
MM5Z5V1	SOD-523	0.2	5.10	4.80	5.40	2.00	1.5
MM5Z5V6	SOD-523	0.2	5.60	5.20	6.00	1.00	2.5
MM5Z6V2	SOD-523	0.2	6.20	5.80	6.60	1.00	3.0
MM5Z6V8	SOD-523	0.2	6.80	6.40	7.20	0.50	3.5
MM5Z7V5	SOD-523	0.2	7.50	7.00	7.90	0.50	4.0
MM5Z8V2	SOD-523	0.2	8.20	7.70	8.70	0.50	5.0
MM5Z9V1	SOD-523	0.2	9.10	8.50	9.60	0.50	6.0
MM5Z10	SOD-523	0.2	10.00	9.40	10.60	0.10	7.0
MM5Z11	SOD-523	0.2	11.00	10.40	11.60	0.10	8.0
MM5Z12	SOD-523	0.2	12.00	11.40	12.70	0.10	9.0
MM5Z13	SOD-523	0.2	13.00	12.40	14.10	0.10	10.0
MM5Z15	SOD-523	0.2	15.00	14.30	15.80	0.10	11.0

MM5Z16	SOD-523	0.2	16.00	15.30	17.10	0.10	12.0
MM5Z18	SOD-523	0.2	18.00	16.80	19.10	0.10	13.0
MM5Z20	SOD-523	0.2	20.00	18.80	21.20	0.10	15.0
MM5Z22	SOD-523	0.2	22.00	20.80	23.30	0.10	17.0
MM5Z24	SOD-523	0.2	24.00	22.80	25.60	0.10	19.0
MM5Z27	SOD-523	0.2	27.00	25.10	28.90	0.10	21.0
MM5Z30	SOD-523	0.2	30.00	28.00	32.00	0.10	23.0
MM5Z33	SOD-523	0.2	33.00	31.00	35.00	0.10	25.0
MM5Z36	SOD-523	0.2	36.00	34.00	38.00	0.10	27.0
MM5Z39	SOD-523	0.2	39.00	37.00	41.00	2.00	30.0
MM5Z43	SOD-523	0.2	43.00	40.00	46.00	2.00	33.0
MM5Z47	SOD-523	0.2	47.00	44.00	50.00	2.00	36.0
MM5Z51	SOD-523	0.2	51.00	48.00	54.00	1.00	39.0
MM5Z56	SOD-523	0.2	56.00	52.00	60.00	1.00	43.0
MM5Z62	SOD-523	0.2	62.00	58.00	66.00	0.20	47.0
MM5Z68	SOD-523	0.2	68.00	64.00	72.00	0.20	52.0
MM5Z75	SOD-523	0.2	75.00	70.00	79.00	0.20	57.0
BZT52B2V4S	SOD-323	0.2	2.40	2.35	2.45	50.00	1.0
BZT52B2V7S	SOD-323	0.2	2.70	2.65	2.75	20.00	1.0
BZT52B3V0S	SOD-323	0.2	3.00	2.94	3.06	10.00	1.0
BZT52B3V3S	SOD-323	0.2	3.30	3.23	3.37	5.00	1.0
BZT52B3V6S	SOD-323	0.2	3.60	3.53	3.67	5.00	1.0
BZT52B3V9S	SOD-323	0.2	3.90	3.82	3.98	3.00	1.0
BZT52B4V3S	SOD-323	0.2	4.30	4.21	4.39	3.00	1.0
BZT52B4V7S	SOD-323	0.2	4.70	4.61	4.79	3.00	2.0
BZT52B5V1S	SOD-323	0.2	5.10	5.00	5.20	2.00	2.0
BZT52B5V6S	SOD-323	0.2	5.60	5.49	5.71	1.00	2.0
BZT52B6V2S	SOD-323	0.2	6.20	6.08	6.32	3.00	4.0
BZT52B6V8S	SOD-323	0.2	6.80	6.66	6.94	2.00	4.0
BZT52B7V5S	SOD-323	0.2	7.50	7.35	7.65	1.00	5.0
BZT52B8V2S	SOD-323	0.2	8.20	8.04	8.36	0.70	5.0
BZT52B9V1S	SOD-323	0.2	9.10	8.92	9.28	0.50	6.0
BZT52B10S	SOD-323	0.2	10.00	9.80	10.20	0.20	7.0
BZT52B11S	SOD-323	0.2	11.00	10.78	11.22	0.10	8.0

BZT52B12S	SOD-323	0.2	12.00	11.76	12.24	0.10	8.0
BZT52B13S	SOD-323	0.2	13.00	12.74	13.26	0.10	8.0
BZT52B15S	SOD-323	0.2	15.00	14.70	15.30	0.10	10.5
BZT52B16S	SOD-323	0.2	16.00	15.68	16.32	0.10	11.2
BZT52B18S	SOD-323	0.2	18.00	17.64	18.36	0.10	12.6
BZT52B20S	SOD-323	0.2	20.00	19.60	20.40	0.10	14.0
BZT52B22S	SOD-323	0.2	22.00	21.56	22.44	0.10	15.4
BZT52B24S	SOD-323	0.2	24.00	23.52	24.48	0.10	16.8
BZT52B27S	SOD-323	0.2	27.00	26.46	27.54	0.10	18.9
BZT52B30S	SOD-323	0.2	30.00	29.40	30.60	0.10	21.0
BZT52B33S	SOD-323	0.2	33.00	32.34	33.66	0.10	23.1
BZT52B36S	SOD-323	0.2	36.00	35.28	36.72	0.10	25.2
BZT52B39S	SOD-323	0.2	39.00	38.22	39.78	0.10	27.3
BZT52B43S	SOD-323	0.2	43.00	41.16	42.84	0.10	30.1
BZT52B47S	SOD-323	0.2	47.00	46.06	47.94	0.10	33.0
BZT52B51S	SOD-323	0.2	51.00	49.98	52.02	0.10	35.7
BZT52B56S	SOD-323	0.2	56.00	54.88	57.12	0.10	39.2
BZT52B62S	SOD-323	0.2	62.00	60.76	63.24	0.10	43.4
BZT52B68S	SOD-323	0.2	68.00	66.64	69.36	0.10	47.6
BZT52B75S	SOD-323	0.2	75.00	73.05	76.50	0.10	52.5
BZT52C2V0S	SOD-323	0.2	2.00	1.80	2.15	100.00	1.0
BZT52C2V4S	SOD-323	0.2	2.40	2.20	2.60	50.00	1.0
BZT52C2V7S	SOD-323	0.2	2.70	2.50	2.90	20.00	1.0
BZT52C3V0S	SOD-323	0.2	3.00	2.80	3.20	10.00	1.0
BZT52C3V3S	SOD-323	0.2	3.30	3.10	3.50	5.00	1.0
BZT52C3V6S	SOD-323	0.2	3.60	3.40	3.80	5.00	1.0
BZT52C3V9S	SOD-323	0.2	3.90	3.70	4.10	3.00	1.0
BZT52C4V3S	SOD-323	0.2	4.30	4.00	4.60	3.00	1.0
BZT52C4V7S	SOD-323	0.2	4.70	4.40	5.00	3.00	2.0
BZT52C5V1S	SOD-323	0.2	5.10	4.80	5.40	2.00	2.0
BZT52C5V6S	SOD-323	0.2	5.60	5.20	6.00	1.00	2.0
BZT52C6V2S	SOD-323	0.2	6.20	5.80	6.60	3.00	4.0
BZT52C6V8S	SOD-323	0.2	6.80	6.40	7.20	2.00	4.0
BZT52C7V5S	SOD-323	0.2	7.50	7.00	7.90	1.00	5.0

BZT52C8V2S	SOD-323	0.2	8.20	7.70	8.70	0.70	5.0
BZT52C9V1S	SOD-323	0.2	9.10	8.50	9.60	0.50	6.0
BZT52C10S	SOD-323	0.2	10.00	9.40	10.60	0.20	7.0
BZT52C11S	SOD-323	0.2	11.00	10.40	11.60	0.10	8.0
BZT52C12S	SOD-323	0.2	12.00	11.40	12.70	0.10	8.0
BZT52C13S	SOD-323	0.2	13.00	12.40	14.10	0.10	8.0
BZT52C15S	SOD-323	0.2	15.00	13.80	15.60	0.10	10.5
BZT52C16S	SOD-323	0.2	16.00	15.30	17.10	0.10	11.2
BZT52C18S	SOD-323	0.2	18.00	16.80	19.10	0.10	12.6
BZT52C20S	SOD-323	0.2	20.00	18.80	21.20	0.10	14.0
BZT52C22S	SOD-323	0.2	22.00	20.80	23.30	0.10	15.4
BZT52C24S	SOD-323	0.2	24.00	22.80	25.60	0.10	16.8
BZT52C27S	SOD-323	0.2	27.00	25.10	28.90	0.10	18.9
BZT52C30S	SOD-323	0.2	30.00	28.00	32.00	0.10	21.0
BZT52C33S	SOD-323	0.2	33.00	31.00	35.00	0.10	23.1
BZT52C36S	SOD-323	0.2	36.00	34.00	38.00	0.10	25.2
BZT52C39S	SOD-323	0.2	39.00	37.00	41.00	0.10	27.3
BZT52C43S	SOD-323	0.2	43.00	40.00	46.00	2.00	33.0
BZT52C47S	SOD-323	0.2	47.00	44.00	50.00	2.00	36.0
BZT52C51S	SOD-323	0.2	51.00	48.00	54.00	1.00	39.0
BZT52C56S	SOD-323	0.2	56.00	52.00	60.00	1.00	43.0
BZT52C62S	SOD-323	0.2	62.00	58.00	66.00	0.20	47.0
BZT52C68S	SOD-323	0.2	68.00	64.00	72.00	0.20	52.0
BZT52C75S	SOD-323	0.2	75.00	70.00	79.00	0.20	57.0
MMSZ5221BS	SOD-323	0.2	2.40	2.28	2.52	100.00	1.0
MMSZ5223BS	SOD-323	0.2	2.70	2.57	2.84	75.00	1.0
MMSZ5225BS	SOD-323	0.2	3.00	2.85	3.15	50.00	1.0
MMSZ5226BS	SOD-323	0.2	3.30	3.14	3.47	25.00	1.0
MMSZ5227BS	SOD-323	0.2	3.60	3.42	3.78	15.00	1.0
MMSZ5228BS	SOD-323	0.2	3.90	3.71	4.10	10.00	1.0
MMSZ5229BS	SOD-323	0.2	4.30	4.09	4.52	5.00	1.0
MMSZ5230BS	SOD-323	0.2	4.70	4.47	4.94	5.00	2.0
MMSZ5231BS	SOD-323	0.2	5.10	4.85	5.36	5.00	2.0
MMSZ5232BS	SOD-323	0.2	5.60	5.32	5.88	5.00	3.0

MMSZ5233BS	SOD-323	0.2	6.00	5.70	6.30	5.00	3.5
MMSZ5234BS	SOD-323	0.2	6.20	5.89	6.51	5.00	4.0
MMSZ5235BS	SOD-323	0.2	6.80	6.46	7.14	3.00	5.0
MMSZ5236BS	SOD-323	0.2	7.50	7.13	7.88	3.00	6.0
MMSZ5237BS	SOD-323	0.2	8.20	7.79	8.61	3.00	6.5
MMSZ5238BS	SOD-323	0.2	8.70	8.27	9.14	3.00	6.5
MMSZ5239BS	SOD-323	0.2	9.10	8.65	9.56	3.00	7.0
MMSZ5240BS	SOD-323	0.2	10.00	9.50	10.50	3.00	8.0
MMSZ5241BS	SOD-323	0.2	11.00	10.45	11.55	2.00	8.4
MMSZ5242BS	SOD-323	0.2	12.00	11.40	12.60	1.00	9.1
MMSZ5243BS	SOD-323	0.2	13.00	12.35	13.65	0.50	9.9
MMSZ5244BS	SOD-323	0.2	14.00	13.30	14.70	0.10	10.0
MMSZ5245BS	SOD-323	0.2	15.00	14.25	15.75	0.10	11.0
MMSZ5246BS	SOD-323	0.2	16.00	15.20	16.80	0.10	12.0
MMSZ5248BS	SOD-323	0.2	18.00	17.10	18.90	0.10	14.0
MMSZ5250BS	SOD-323	0.2	20.00	19.00	21.00	0.10	15.0
MMSZ5251BS	SOD-323	0.2	22.00	20.90	23.10	0.10	17.0
MMSZ5252BS	SOD-323	0.2	24.00	22.80	25.20	0.10	18.0
MMSZ5253BS	SOD-323	0.2	25.00	23.75	26.25	0.10	19.0
MMSZ5254BS	SOD-323	0.2	27.00	25.65	28.35	0.10	21.0
MMSZ5255BS	SOD-323	0.2	28.00	26.60	29.40	0.10	21.0
MMSZ5256BS	SOD-323	0.2	30.00	28.50	31.50	0.10	23.0
MMSZ5257BS	SOD-323	0.2	33.00	31.35	34.65	0.10	25.0
MMSZ5258BS	SOD-323	0.2	36.00	34.20	37.80	0.10	27.0
MMSZ5259BS	SOD-323	0.2	39.00	37.05	40.95	0.10	30.0
MMSZ5260BS	SOD-323	0.2	43.00	40.85	45.15	0.10	33.0
MMSZ5261BS	SOD-323	0.2	47.00	44.65	49.35	0.10	36.0
MMSZ5262BS	SOD-323	0.2	51.00	48.45	53.55	0.10	39.0
MMSZ5263BS	SOD-323	0.2	56.00	53.20	58.80	0.10	43.0
MMSZ5265BS	SOD-323	0.2	62.00	58.90	65.10	0.10	47.0
MMSZ5266BS	SOD-323	0.2	68.00	64.60	71.40	0.10	52.0
MMSZ5267BS	SOD-323	0.2	75.00	71.25	78.75	0.10	56.0
UDZS3V6B	SOD-323	0.2	-	3.60	3.85	4.50	1.0
UDZS3V9B	SOD-323	0.2	-	3.89	4.16	2.70	1.0

UDZS4V3B	SOD-323	0.2	-	4.17	4.43	2.70	1.0
UDZS4V7B	SOD-323	0.2	-	4.55	4.75	2.70	1.0
UDZS5V1B	SOD-323	0.2	-	4.98	5.20	1.80	2.0
UDZS5V6B	SOD-323	0.2	-	5.49	5.73	0.90	3.0
UDZS6V2B	SOD-323	0.2	-	6.06	6.33	2.70	3.0
UDZS6V8B	SOD-323	0.2	-	6.65	6.93	1.80	4.0
UDZS7V5B	SOD-323	0.2	-	7.28	7.60	0.90	4.0
UDZS8V2B	SOD-323	0.2	-	8.02	8.36	0.63	5.0
UDZS9V1B	SOD-323	0.2	-	8.85	9.23	0.45	6.0
UDZS10VB	SOD-323	0.2	-	9.77	10.21	0.18	7.0
UDZS11VB	SOD-323	0.2	-	10.76	11.22	0.09	8.0
UDZS12VB	SOD-323	0.2	-	11.74	12.24	0.09	9.0
UDZS13VB	SOD-323	0.2	-	12.91	13.49	0.05	10.0
UDZS15VB	SOD-323	0.2	-	14.34	14.98	0.05	11.0
UDZS16VB	SOD-323	0.2	-	15.85	16.51	0.05	12.0
UDZS18VB	SOD-323	0.2	-	17.56	18.35	0.05	13.0
UDZS20VB	SOD-323	0.2	-	19.52	20.39	0.05	15.0
UDZS22VB	SOD-323	0.2	-	21.54	22.47	0.05	17.0
UDZS24VB	SOD-323	0.2	-	23.72	24.78	0.05	19.0
UDZS27VB	SOD-323	0.2	-	26.19	27.53	0.05	21.0
UDZS30VB	SOD-323	0.2	-	29.19	30.69	0.05	23.0
UDZS33VB	SOD-323	0.2	-	32.15	33.79	0.05	25.0
UDZS36VB	SOD-323	0.2	-	35.07	36.87	0.05	27.0
BZX384C2V4	SOD-323	0.2	2.40	2.20	2.60	50.00	1.0
BZX384C2V7	SOD-323	0.2	2.70	2.50	2.90	20.00	1.0
BZX384C3V0	SOD-323	0.2	3.00	2.80	3.20	10.00	1.0
BZX384C3V3	SOD-323	0.2	3.30	3.10	3.50	5.00	1.0
BZX384C3V6	SOD-323	0.2	3.60	3.40	3.80	5.00	1.0
BZX384C3V9	SOD-323	0.2	3.90	3.70	4.10	3.00	1.0
BZX384C4V3	SOD-323	0.2	4.30	4.00	4.60	3.00	1.0
BZX384C4V7	SOD-323	0.2	4.70	4.40	5.00	3.00	2.0
BZX384C5V1	SOD-323	0.2	5.10	4.80	5.40	2.00	2.0
BZX384C5V6	SOD-323	0.2	5.60	5.20	6.00	1.00	2.0
BZX384C6V2	SOD-323	0.2	6.20	5.80	6.60	3.00	4.0

BZX384C6V8	SOD-323	0.2	6.80	6.40	7.20	2.00	4.0
BZX384C7V5	SOD-323	0.2	7.50	7.00	7.90	1.00	5.0
BZX384C8V2	SOD-323	0.2	8.20	7.70	8.70	0.70	5.0
BZX384C9V1	SOD-323	0.2	9.10	8.50	9.60	0.50	6.0
BZX384C10	SOD-323	0.2	10.00	9.40	10.60	0.20	7.0
BZX384C11	SOD-323	0.2	11.00	10.40	11.60	0.10	8.0
BZX384C12	SOD-323	0.2	12.00	11.40	12.70	0.10	8.0
BZX384C13	SOD-323	0.2	13.00	12.40	14.10	0.10	8.0
BZX384C15	SOD-323	0.2	15.00	13.80	15.60	0.05	0.7 VZnom.
BZX384C16	SOD-323	0.2	16.00	15.30	17.10	0.05	0.7 VZnom.
BZX384C18	SOD-323	0.2	18.00	16.80	19.10	0.05	0.7 VZnom.
BZX384C20	SOD-323	0.2	20.00	18.80	21.20	0.05	0.7 VZnom.
BZX384C22	SOD-323	0.2	22.00	20.80	23.30	0.05	0.7 VZnom.
BZX384C24	SOD-323	0.2	24.00	22.80	25.60	0.05	0.7 VZnom.
BZX384C27	SOD-323	0.2	27.00	25.10	28.90	0.05	0.7 VZnom.
BZX384C30	SOD-323	0.2	30.00	28.00	32.00	0.05	0.7 VZnom.
BZX384C33	SOD-323	0.2	33.00	31.00	35.00	0.05	0.7 VZnom.
BZX384C36	SOD-323	0.2	36.00	34.00	38.00	0.05	0.7 VZnom.
BZX384C39	SOD-323	0.2	39.00	37.00	41.00	0.05	0.7 VZnom.
BZX384C43	SOD-323	0.2	43.00	40.00	46.00	0.05	0.7 VZnom.
BZX384C47	SOD-323	0.2	47.00	44.00	50.00	0.05	0.7 VZnom.
BZX384C51	SOD-323	0.2	51.00	48.00	54.00	0.05	0.7 VZnom.
BZX384C56	SOD-323	0.2	56.00	52.00	60.00	0.05	0.7 VZnom.
BZX384C62	SOD-323	0.2	62.00	58.00	66.00	0.05	0.7 VZnom.
BZX384C68	SOD-323	0.2	68.00	64.00	72.00	0.05	0.7 VZnom.
BZX384C75	SOD-323	0.2	75.00	70.00	79.00	0.05	0.7 VZnom.
BZX84C2V4W	SOT-323	0.2	-	2.20	2.60	50.00	1.0
BZX84C2V7W	SOT-323	0.2	-	2.50	2.90	20.00	1.0
BZX84C3V0W	SOT-323	0.2	-	2.80	3.20	20.00	1.0
BZX84C3V3W	SOT-323	0.2	-	3.10	3.50	5.00	1.0
BZX84C3V6W	SOT-323	0.2	-	3.40	3.80	5.00	1.0
BZX84C3V9W	SOT-323	0.2	-	3.70	4.10	3.00	1.0
BZX84C4V3W	SOT-323	0.2	-	4.00	4.60	3.00	1.0
BZX84C4V7W	SOT-323	0.2	-	4.40	5.00	3.00	2.0

BZX84C5V1W	SOT-323	0.2	-	4.80	5.40	2.00	2.0
BZX84C5V6W	SOT-323	0.2	-	5.20	6.00	1.00	2.0
BZX84C6V2W	SOT-323	0.2	-	5.80	6.60	3.00	4.0
BZX84C6V8W	SOT-323	0.2	-	6.40	7.20	2.00	4.0
BZX84C7V5W	SOT-323	0.2	-	7.00	7.90	1.00	5.0
BZX84C8V2W	SOT-323	0.2	-	7.70	8.70	0.70	5.0
BZX84C9V1W	SOT-323	0.2	-	8.50	9.60	0.50	6.0
BZX84C10W	SOT-323	0.2	-	9.40	10.60	0.20	7.0
BZX84C11W	SOT-323	0.2	-	10.40	11.60	0.10	8.0
BZX84C12W	SOT-323	0.2	-	11.40	12.70	0.10	8.0
BZX84C13W	SOT-323	0.2	-	12.40	14.10	0.10	8.0
BZX84C15W	SOT-323	0.2	-	13.80	15.60	0.10	10.5
BZX84C16W	SOT-323	0.2	-	15.30	17.10	0.10	11.2
BZX84C18W	SOT-323	0.2	-	16.80	19.10	0.10	12.6
BZX84C20W	SOT-323	0.2	-	18.80	21.20	0.10	14.0
BZX84C22W	SOT-323	0.2	-	20.80	23.30	0.10	15.4
BZX84C24W	SOT-323	0.2	-	22.80	25.60	0.10	16.8
BZX84C27W	SOT-323	0.2	-	25.10	28.90	0.10	18.9
BZX84C30W	SOT-323	0.2	-	28.00	32.00	0.10	21.0
BZX84C33W	SOT-323	0.2	-	31.00	35.00	0.10	23.1
BZX84C36W	SOT-323	0.2	-	34.00	38.00	0.10	25.2
BZX84C39W	SOT-323	0.2	-	37.00	41.00	0.10	27.3
MM3Z2V2B	SOD-323	0.3	2.20	2.10	2.40	120.00	0.7
MM3Z2V4B	SOD-323	0.3	2.40	2.30	2.65	120.00	1.0
MM3Z2V7B	SOD-323	0.3	2.70	2.65	2.95	120.00	1.0
MM3Z3V0B	SOD-323	0.3	3.00	2.95	3.25	50.00	1.0
MM3Z3V3B	SOD-323	0.3	3.30	3.25	3.55	20.00	1.0
MM3Z3V6B	SOD-323	0.3	3.60	3.60	3.85	10.00	1.0
MM3Z3V9B	SOD-323	0.3	3.90	3.89	4.16	5.00	1.0
MM3Z4V3B	SOD-323	0.3	4.30	4.17	4.43	5.00	1.0
MM3Z4V7B	SOD-323	0.3	4.70	4.55	4.75	2.00	1.0
MM3Z5V1B	SOD-323	0.3	5.10	4.98	5.20	2.00	1.5
MM3Z5V6B	SOD-323	0.3	5.60	5.49	5.73	1.00	2.5
MM3Z6V2B	SOD-323	0.3	6.20	6.06	6.33	1.00	3.0

MM3Z6V8B	SOD-323	0.3	6.80	6.65	6.93	0.50	3.5
MM3Z7V5B	SOD-323	0.3	7.50	7.28	7.60	0.50	4.0
MM3Z8V2B	SOD-323	0.3	8.20	8.02	8.36	0.50	5.0
MM3Z9V1B	SOD-323	0.3	9.10	8.85	9.23	0.50	6.0
MM3Z10B	SOD-323	0.3	10.00	9.77	10.21	0.10	7.0
MM3Z11B	SOD-323	0.3	11.00	10.76	11.22	0.10	8.0
MM3Z12B	SOD-323	0.3	12.00	11.74	12.24	0.10	9.0
MM3Z13B	SOD-323	0.3	13.00	12.91	13.49	0.10	10.0
MM3Z15B	SOD-323	0.3	15.00	14.34	14.98	0.10	11.0
MM3Z16B	SOD-323	0.3	16.00	15.85	16.51	0.10	12.0
MM3Z18B	SOD-323	0.3	18.00	17.56	18.35	0.10	13.0
MM3Z20B	SOD-323	0.3	20.00	19.52	20.39	0.10	15.0
MM3Z22B	SOD-323	0.3	22.00	21.54	22.47	0.10	17.0
MM3Z24B	SOD-323	0.3	24.00	23.72	24.78	0.10	19.0
MM3Z27B	SOD-323	0.3	27.00	26.19	27.53	0.10	21.0
MM3Z30B	SOD-323	0.3	30.00	29.19	30.69	0.10	23.0
MM3Z33B	SOD-323	0.3	33.00	32.15	33.79	0.10	25.0
MM3Z36B	SOD-323	0.3	36.00	35.07	36.87	0.10	27.0
MM3Z39B	SOD-323	0.3	39.00	37.00	41.00	2.00	30.0
MM3Z2V0	SOD-323	0.3	2.00	1.80	2.15	120.00	0.5
MM3Z2V2	SOD-323	0.3	2.20	2.08	2.33	120.00	0.7
MM3Z2V4	SOD-323	0.3	2.40	2.28	2.56	120.00	1.0
MM3Z2V7	SOD-323	0.3	2.70	2.50	2.90	120.00	1.0
MM3Z3V0	SOD-323	0.3	3.00	2.80	3.20	50.00	1.0
MM3Z3V3	SOD-323	0.3	3.30	3.10	3.50	20.00	1.0
MM3Z3V6	SOD-323	0.3	3.60	3.40	3.80	10.00	1.0
MM3Z3V9	SOD-323	0.3	3.90	3.70	4.10	5.00	1.0
MM3Z4V3	SOD-323	0.3	4.30	4.00	4.60	5.00	1.0
MM3Z4V7	SOD-323	0.3	4.70	4.40	5.00	2.00	1.0
MM3Z5V1	SOD-323	0.3	5.10	4.80	5.40	2.00	1.5
MM3Z5V6	SOD-323	0.3	5.60	5.20	6.00	1.00	2.5
MM3Z6V2	SOD-323	0.3	6.20	5.80	6.60	1.00	3.0
MM3Z6V8	SOD-323	0.3	6.80	6.40	7.20	0.50	3.5
MM3Z7V5	SOD-323	0.3	7.50	7.00	7.90	0.50	4.0

MM3Z8V2	SOD-323	0.3	8.20	7.70	8.70	0.50	5.0
MM3Z9V1	SOD-323	0.3	9.10	8.50	9.60	0.50	6.0
MM3Z10	SOD-323	0.3	10.00	9.40	10.60	0.10	7.0
MM3Z11	SOD-323	0.3	11.00	10.40	11.60	0.10	8.0
MM3Z12	SOD-323	0.3	12.00	11.40	12.70	0.10	9.0
MM3Z13	SOD-323	0.3	13.00	12.40	14.10	0.10	10.0
MM3Z15	SOD-323	0.3	15.00	13.80	15.60	0.10	11.0
MM3Z16	SOD-323	0.3	16.00	15.30	17.10	0.10	12.0
MM3Z18	SOD-323	0.3	18.00	16.80	19.10	0.10	13.0
MM3Z20	SOD-323	0.3	20.00	18.80	21.20	0.10	15.0
MM3Z22	SOD-323	0.3	22.00	20.80	23.30	0.10	17.0
MM3Z24	SOD-323	0.3	24.00	22.80	25.60	0.10	19.0
MM3Z27	SOD-323	0.3	27.00	25.10	28.90	0.10	21.0
MM3Z30	SOD-323	0.3	30.00	28.00	32.00	0.10	23.0
MM3Z33	SOD-323	0.3	33.00	31.00	35.00	0.10	25.0
MM3Z36	SOD-323	0.3	36.00	34.00	38.00	0.10	27.0
MM3Z39	SOD-323	0.3	39.00	37.00	41.00	2.00	30.0
MM3Z43	SOD-323	0.3	43.00	40.00	46.00	2.00	33.0
MM3Z47	SOD-323	0.3	47.00	44.00	50.00	2.00	36.0
MM3Z51	SOD-323	0.3	51.00	48.00	54.00	1.00	39.0
MM3Z56	SOD-323	0.3	56.00	52.00	60.00	1.00	43.0
MM3Z62	SOD-323	0.3	62.00	58.00	66.00	0.20	47.0
MM3Z68	SOD-323	0.3	68.00	64.00	72.00	0.20	52.0
MM3Z75	SOD-323	0.3	75.00	70.00	79.00	0.20	57.0
BZX84B2V4	SOT-23	0.3	2.40	2.35	2.45	50.00	1.0
BZX84B2V7	SOT-23	0.3	2.70	2.65	2.75	20.00	1.0
BZX84B3V0	SOT-23	0.3	3.00	2.94	3.06	10.00	1.0
BZX84B3V3	SOT-23	0.3	3.30	3.23	3.37	5.00	1.0
BZX84B3V6	SOT-23	0.3	3.60	3.53	3.67	5.00	1.0
BZX84B3V9	SOT-23	0.3	3.90	3.82	3.98	3.00	1.0
BZX84B4V3	SOT-23	0.3	4.30	4.21	4.39	3.00	1.0
BZX84B4V7	SOT-23	0.3	4.70	4.61	4.79	3.00	2.0
BZX84B5V1	SOT-23	0.3	5.10	5.00	5.20	2.00	2.0
BZX84B5V6	SOT-23	0.3	5.60	5.49	5.71	1.00	2.0

BZX84B6V2	SOT-23	0.3	6.20	6.08	6.32	3.00	4.0
BZX84B6V8	SOT-23	0.3	6.80	6.66	6.94	2.00	4.0
BZX84B7V5	SOT-23	0.3	7.50	7.35	7.65	1.00	5.0
BZX84B8V2	SOT-23	0.3	8.20	8.04	8.36	0.70	5.0
BZX84B9V1	SOT-23	0.3	9.10	8.92	9.28	0.50	6.0
BZX84B10	SOT-23	0.3	10.00	9.80	10.20	0.20	7.0
BZX84B11	SOT-23	0.3	11.00	10.80	11.20	0.10	8.0
BZX84B12	SOT-23	0.3	12.00	11.80	12.20	0.10	8.0
BZX84B13	SOT-23	0.3	13.00	12.70	13.30	0.10	8.0
BZX84B15	SOT-23	0.3	15.00	14.70	15.30	0.05	10.5
BZX84B16	SOT-23	0.3	16.00	15.70	16.30	0.05	11.2
BZX84B18	SOT-23	0.3	18.00	17.60	18.40	0.05	12.6
BZX84B20	SOT-23	0.3	20.00	19.60	20.40	0.05	14.0
BZX84B22	SOT-23	0.3	22.00	21.60	22.40	0.05	15.4
BZX84B24	SOT-23	0.3	24.00	23.50	24.50	0.05	16.8
BZX84B27	SOT-23	0.3	27.00	26.50	27.50	0.05	18.9
BZX84B30	SOT-23	0.3	30.00	29.40	30.60	0.05	21.0
BZX84B33	SOT-23	0.3	33.00	32.30	33.70	0.05	23.1
BZX84B36	SOT-23	0.3	36.00	35.30	36.70	0.05	25.2
BZX84B39	SOT-23	0.3	39.00	38.20	39.80	0.05	27.3
BZX84B43	SOT-23	0.3	43.00	42.10	43.90	0.05	30.1
BZX84B47	SOT-23	0.3	47.00	46.10	47.90	0.05	32.9
BZX84B51	SOT-23	0.3	51.00	50.00	52.00	0.05	35.7
BZX84B56	SOT-23	0.3	56.00	54.90	57.10	0.05	39.2
BZX84B62	SOT-23	0.3	62.00	60.80	63.20	0.05	43.4
BZX84B68	SOT-23	0.3	68.00	66.60	69.40	0.05	47.6
BZX84B75	SOT-23	0.3	75.00	73.50	76.50	0.05	52.5
BZX84C2V0	SOT-23	0.3	2.00	1.80	2.15	120.00	0.5
BZX84C2V2	SOT-23	0.3	2.20	2.08	2.33	120.00	0.7
BZX84C2V4	SOT-23	0.3	2.40	2.20	2.60	50.00	1.0
BZX84C2V7	SOT-23	0.3	2.70	2.50	2.90	20.00	1.0
BZX84C3V0	SOT-23	0.3	3.00	2.80	3.20	10.00	1.0
BZX84C3V3	SOT-23	0.3	3.30	3.10	3.50	5.00	1.0
BZX84C3V6	SOT-23	0.3	3.60	3.40	3.80	5.00	1.0

BZX84C3V9	SOT-23	0.3	3.90	3.70	4.10	3.00	1.0
BZX84C4V3	SOT-23	0.3	4.30	4.00	4.60	3.00	1.0
BZX84C4V7	SOT-23	0.3	4.70	4.40	5.00	3.00	2.0
BZX84C5V1	SOT-23	0.3	5.10	4.80	5.40	2.00	2.0
BZX84C5V6	SOT-23	0.3	5.60	5.20	6.00	1.00	2.0
BZX84C6V2	SOT-23	0.3	6.20	5.80	6.60	3.00	4.0
BZX84C6V8	SOT-23	0.3	6.80	6.40	7.20	2.00	4.0
BZX84C7V5	SOT-23	0.3	7.50	7.00	7.90	1.00	5.0
BZX84C8V2	SOT-23	0.3	8.20	7.70	8.70	0.70	5.0
BZX84C9V1	SOT-23	0.3	9.10	8.50	9.60	0.50	6.0
BZX84C10	SOT-23	0.3	10.00	9.40	10.60	0.20	7.0
BZX84C11	SOT-23	0.3	11.00	10.40	11.60	0.10	8.0
BZX84C12	SOT-23	0.3	12.00	11.40	12.70	0.10	8.0
BZX84C13	SOT-23	0.3	13.00	12.40	14.10	0.10	8.0
BZX84C15	SOT-23	0.3	15.00	13.80	15.60	0.05	10.5
BZX84C16	SOT-23	0.3	16.00	15.30	17.10	0.05	11.2
BZX84C18	SOT-23	0.3	18.00	16.80	19.10	0.05	12.6
BZX84C20	SOT-23	0.3	20.00	18.80	21.20	0.05	14.0
BZX84C22	SOT-23	0.3	22.00	20.80	23.30	0.05	15.4
BZX84C24	SOT-23	0.3	24.00	22.80	25.60	0.05	16.8
BZX84C27	SOT-23	0.3	27.00	25.10	28.90	0.05	18.9
BZX84C30	SOT-23	0.3	30.00	28.00	32.00	0.05	21.0
BZX84C33	SOT-23	0.3	33.00	31.00	35.00	0.05	23.1
BZX84C36	SOT-23	0.3	36.00	34.00	38.00	0.05	25.2
BZX84C39	SOT-23	0.3	39.00	37.00	41.00	0.05	27.3
BZX84C43	SOT-23	0.3	43.00	40.00	46.00	0.05	30.1
BZX84C47	SOT-23	0.3	47.00	44.00	50.00	0.05	32.9
BZX84C51	SOT-23	0.3	51.00	48.00	54.00	0.05	35.7
BZX84C56	SOT-23	0.3	56.00	52.00	60.00	0.05	39.2
BZX84C62	SOT-23	0.3	62.00	58.00	66.00	0.05	43.4
BZX84C68	SOT-23	0.3	68.00	64.00	72.00	0.05	47.6
BZX84C75	SOT-23	0.3	75.00	70.00	79.00	0.05	52.5
MMSZ5221B	SOD-123	0.35	2.40	2.28	2.52	100.00	1.0
MMSZ5223B	SOD-123	0.35	2.70	2.57	2.84	75.00	1.0

MMSZ5225B	SOD-123	0.35	3.00	2.85	3.15	50.00	1.0
MMSZ5226B	SOD-123	0.35	3.30	3.14	3.47	25.00	1.0
MMSZ5227B	SOD-123	0.35	3.60	3.42	3.78	15.00	1.0
MMSZ5228B	SOD-123	0.35	3.90	3.71	4.10	10.00	1.0
MMSZ5229B	SOD-123	0.35	4.30	4.09	4.52	5.00	1.0
MMSZ5230B	SOD-123	0.35	4.70	4.47	4.94	5.00	2.0
MMSZ5231B	SOD-123	0.35	5.10	4.85	5.36	5.00	2.0
MMSZ5232B	SOD-123	0.35	5.60	5.32	5.88	5.00	3.0
MMSZ5233B	SOD-123	0.35	6.00	5.70	6.30	5.00	3.5
MMSZ5234B	SOD-123	0.35	6.20	5.89	6.51	5.00	4.0
MMSZ5235B	SOD-123	0.35	6.80	6.46	7.14	3.00	5.0
MMSZ5236B	SOD-123	0.35	7.50	7.13	7.88	3.00	6.0
MMSZ5237B	SOD-123	0.35	8.20	7.79	8.61	3.00	6.5
MMSZ5238B	SOD-123	0.35	8.70	8.27	9.14	3.00	6.5
MMSZ5239B	SOD-123	0.35	9.10	8.65	9.56	3.00	7.0
MMSZ5240B	SOD-123	0.35	10.00	9.50	10.50	3.00	8.0
MMSZ5241B	SOD-123	0.35	11.00	10.45	11.55	2.00	8.4
MMSZ5242B	SOD-123	0.35	12.00	11.40	12.60	1.00	9.1
MMSZ5243B	SOD-123	0.35	13.00	12.35	13.65	0.50	9.9
MMSZ5244B	SOD-123	0.35	14.00	13.30	14.70	0.10	10.0
MMSZ5245B	SOD-123	0.35	15.00	14.25	15.75	0.10	11.0
MMSZ5246B	SOD-123	0.35	16.00	15.20	16.80	0.10	12.0
MMSZ5248B	SOD-123	0.35	18.00	17.10	18.90	0.10	14.0
MMSZ5250B	SOD-123	0.35	20.00	19.00	21.00	0.10	15.0
MMSZ5251B	SOD-123	0.35	22.00	20.90	23.10	0.10	17.0
MMSZ5252B	SOD-123	0.35	24.00	22.80	25.20	0.10	18.0
MMSZ5253B	SOD-123	0.35	25.00	23.75	26.25	0.10	19.0
MMSZ5254B	SOD-123	0.35	27.00	25.65	28.35	0.10	21.0
MMSZ5255B	SOD-123	0.35	28.00	26.60	29.40	0.10	21.0
MMSZ5256B	SOD-123	0.35	30.00	28.50	31.50	0.10	23.0
MMSZ5257B	SOD-123	0.35	33.00	31.35	34.65	0.10	25.0
MMSZ5258B	SOD-123	0.35	36.00	34.20	37.80	0.10	27.0
MMSZ5259B	SOD-123	0.35	39.00	37.05	40.95	0.10	30.0
MMSZ5260B	SOD-123	0.35	43.00	40.85	45.15	0.10	33.0

MMSZ5261B	SOD-123	0.35	47.00	44.65	49.35	0.10	36.0
MMSZ5262B	SOD-123	0.35	51.00	48.45	53.55	0.10	39.0
MMSZ5263B	SOD-123	0.35	56.00	53.20	58.80	0.10	43.0
MMSZ5265B	SOD-123	0.35	62.00	58.90	65.10	0.10	47.0
MMSZ5266B	SOD-123	0.35	68.00	64.60	71.40	0.10	52.0
MMSZ5267B	SOD-123	0.35	75.00	71.25	78.75	0.10	56.0
MMSZ5229A	SOD-123	0.35	4.30	4.21	4.39	5.00	1.0
MMSZ5230A	SOD-123	0.35	4.70	4.61	4.79	5.00	2.0
MMSZ5231A	SOD-123	0.35	5.10	5.00	5.20	5.00	2.0
MMSZ5232A	SOD-123	0.35	5.60	5.49	5.71	5.00	3.0
MMSZ5234A	SOD-123	0.35	6.20	6.08	6.32	5.00	4.0
MMSZ5235A	SOD-123	0.35	6.80	6.66	6.94	3.00	5.0
MMSZ5236A	SOD-123	0.35	7.50	7.35	7.65	3.00	6.0
MMSZ5237A	SOD-123	0.35	8.20	8.04	8.36	3.00	6.0
MMSZ5238A	SOD-123	0.35	8.70	8.53	8.87	3.00	6.5
MMSZ5239A	SOD-123	0.35	9.10	8.92	9.28	3.00	6.5
MMSZ5240A	SOD-123	0.35	10.00	9.80	10.20	3.00	8.0
MMSZ5241A	SOD-123	0.35	11.00	10.78	11.22	3.00	8.4
MMSZ5242A	SOD-123	0.35	12.00	11.76	12.24	2.00	9.1
MMSZ5243A	SOD-123	0.35	13.00	12.74	13.26	1.00	9.9
MMSZ5244A	SOD-123	0.35	14.00	13.72	14.28	0.50	10.5
MMSZ5245A	SOD-123	0.35	15.00	14.70	15.30	0.50	11.0
MMSZ5246A	SOD-123	0.35	16.00	15.68	16.32	0.10	12.0
MMSZ5247A	SOD-123	0.35	17.00	16.66	17.34	0.10	13.0
MMSZ5248A	SOD-123	0.35	18.00	17.64	18.36	0.10	14.0
MMSZ5250A	SOD-123	0.35	20.00	19.60	20.40	0.10	15.0
MMSZ5251A	SOD-123	0.35	22.00	21.56	22.44	0.10	17.0
MMSZ5252A	SOD-123	0.35	24.00	23.52	24.48	0.10	18.0
MMSZ5254A	SOD-123	0.35	27.00	26.46	27.54	0.10	21.0
MMSZ5255A	SOD-123	0.35	28.00	27.44	28.56	0.10	21.0
MMSZ5256A	SOD-123	0.35	30.00	29.40	30.60	0.10	23.0
MMSZ5257A	SOD-123	0.35	33.00	32.34	33.66	0.10	25.0
MMSZ5258A	SOD-123	0.35	36.00	35.28	36.72	0.10	27.0
MMSZ5259A	SOD-123	0.35	39.00	38.22	39.78	0.10	30.0

MMSZ5260A	SOD-123	0.35	43.00	42.14	43.86	0.10	33.0
MMSZ5261A	SOD-123	0.35	47.00	46.06	47.94	0.10	36.0
MMSZ5262A	SOD-123	0.35	51.00	49.98	52.02	0.10	39.0
MMSZ4678	SOD-123	0.35	1.80	1.710	1.890	7.50	1.0
MMSZ4679	SOD-123	0.35	2.00	1.900	2.100	5.00	1.0
MMSZ4680	SOD-123	0.35	2.20	2.090	2.310	4.00	1.0
MMSZ4681	SOD-123	0.35	2.40	2.280	2.520	2.00	1.0
MMSZ4682	SOD-123	0.35	2.70	2.565	2.835	1.00	1.0
MMSZ4683	SOD-123	0.35	3.00	2.850	3.150	0.80	1.0
MMSZ4684	SOD-123	0.35	3.30	3.130	3.470	7.50	1.5
MMSZ4685	SOD-123	0.35	3.60	3.420	3.780	7.50	2.0
MMSZ4686	SOD-123	0.35	3.90	3.700	4.100	5.00	2.0
MMSZ4687	SOD-123	0.35	4.30	4.090	4.520	4.00	2.0
MMSZ4688	SOD-123	0.35	4.70	4.470	4.940	10.00	3.0
MMSZ4689	SOD-123	0.35	5.10	4.850	5.360	10.00	3.0
MMSZ4690	SOD-123	0.35	5.60	5.320	5.880	10.00	4.0
MMSZ4691	SOD-123	0.35	6.20	5.890	6.510	10.00	5.0
MMSZ4692	SOD-123	0.35	6.80	6.460	7.140	10.00	5.1
MMSZ4693	SOD-123	0.35	7.50	7.130	7.880	10.00	5.7
MMSZ4694	SOD-123	0.35	8.20	7.790	8.610	1.00	6.2
MMSZ4695	SOD-123	0.35	8.70	8.270	9.140	1.00	6.6
MMSZ4696	SOD-123	0.35	9.10	8.650	9.560	1.00	6.9
MMSZ4697	SOD-123	0.35	10.00	9.500	10.50	1.00	7.6
MMSZ4698	SOD-123	0.35	11.00	10.45	11.55	0.05	8.4
MMSZ4699	SOD-123	0.35	12.00	11.40	12.60	0.05	9.1
MMSZ4700	SOD-123	0.35	13.00	12.35	13.65	0.05	9.8
MMSZ4701	SOD-123	0.35	14.00	13.30	14.70	0.05	10.6
MMSZ4702	SOD-123	0.35	15.00	14.25	15.75	0.05	11.4
MMSZ4703	SOD-123	0.35	16.00	15.20	16.80	0.05	12.1
MMSZ4704	SOD-123	0.35	17.00	16.15	17.85	0.05	12.9
MMSZ4705	SOD-123	0.35	18.00	17.10	18.90	0.05	13.6
MMSZ4706	SOD-123	0.35	19.00	18.05	19.95	0.05	14.4
MMSZ4707	SOD-123	0.35	20.00	19.00	21.00	0.01	15.2
MMSZ4708	SOD-123	0.35	22.00	20.90	23.10	0.01	16.7

MMSZ4709	SOD-123	0.35	24.00	22.80	25.20	0.01	18.2
MMSZ4710	SOD-123	0.35	25.00	23.75	26.25	0.01	19.0
MMSZ4711	SOD-123	0.35	27.00	25.65	28.35	0.01	20.4
MMSZ4712	SOD-123	0.35	28.00	26.60	29.40	0.01	21.2
MMSZ4713	SOD-123	0.35	30.00	28.50	31.50	0.01	22.8
MMSZ4714	SOD-123	0.35	33.00	31.35	34.65	0.01	25.0
MMSZ4715	SOD-123	0.35	36.00	34.20	37.80	0.01	27.3
MMSZ4716	SOD-123	0.35	39.00	37.05	40.95	0.01	29.6
MMSZ4717	SOD-123	0.35	43.00	40.85	45.15	0.01	32.6
MMBZ5221B	SOT-23	0.35	2.40	2.28	2.52	100.00	1.0
MMBZ5223B	SOT-23	0.35	2.70	2.57	2.84	75.00	1.0
MMBZ5225B	SOT-23	0.35	3.00	2.85	3.15	50.00	1.0
MMBZ5226B	SOT-23	0.35	3.30	3.14	3.47	25.00	1.0
MMBZ5227B	SOT-23	0.35	3.60	3.42	3.78	15.00	1.0
MMBZ5228B	SOT-23	0.35	3.90	3.71	4.10	10.00	1.0
MMBZ5229B	SOT-23	0.35	4.30	4.09	4.52	5.00	1.0
MMBZ5230B	SOT-23	0.35	4.70	4.47	4.94	5.00	2.0
MMBZ5231B	SOT-23	0.35	5.10	4.85	5.36	5.00	2.0
MMBZ5232B	SOT-23	0.35	5.60	5.32	5.88	5.00	3.0
MMBZ5233B	SOT-23	0.35	6.00	5.70	6.30	5.00	3.5
MMBZ5234B	SOT-23	0.35	6.20	5.89	6.51	5.00	4.0
MMBZ5235B	SOT-23	0.35	6.80	6.46	7.14	3.00	5.0
MMBZ5236B	SOT-23	0.35	7.50	7.13	7.88	3.00	6.0
MMBZ5237B	SOT-23	0.35	8.20	7.79	8.61	3.00	6.5
MMBZ5239B	SOT-23	0.35	9.10	8.65	9.56	3.00	7.0
MMBZ5240B	SOT-23	0.35	10.00	9.50	10.50	3.00	8.0
MMBZ5241B	SOT-23	0.35	11.00	10.45	11.55	2.00	8.4
MMBZ5242B	SOT-23	0.35	12.00	11.40	12.60	1.00	9.1
MMBZ5243B	SOT-23	0.35	13.00	12.35	13.65	0.50	9.9
MMBZ5245B	SOT-23	0.35	15.00	14.25	15.75	0.10	11.0
MMBZ5246B	SOT-23	0.35	16.00	15.20	16.80	0.10	12.0
MMBZ5247B	SOT-23	0.35	17.00	16.15	17.85	0.10	13.0
MMBZ5248B	SOT-23	0.35	18.00	17.10	18.90	0.10	14.0
MMBZ5249B	SOT-23	0.35	19.00	18.05	19.95	0.10	14.0

MMBZ5250B	SOT-23	0.35	20.00	19.00	21.00	0.10	15.0
MMBZ5251B	SOT-23	0.35	22.00	20.90	23.10	0.10	17.0
MMBZ5252B	SOT-23	0.35	24.00	22.80	25.20	0.10	18.0
MMBZ5253B	SOT-23	0.35	25.00	23.75	26.25	0.10	19.0
MMBZ5254B	SOT-23	0.35	27.00	25.65	28.35	0.10	21.0
MMBZ5256B	SOT-23	0.35	30.00	28.50	31.50	0.10	23.0
MMBZ5257B	SOT-23	0.35	33.00	31.35	34.65	0.10	25.0
MMBZ5258B	SOT-23	0.35	36.00	34.20	37.80	0.10	27.0
MMBZ5259B	SOT-23	0.35	39.00	37.05	40.95	0.10	30.0
MMBZ5260B	SOT-23	0.35	43.00	40.85	45.15	0.10	33.0
MMBZ5261B	SOT-23	0.35	47.00	44.65	49.35	0.10	36.0
BZX84C2V4CA	SOT-23	0.35	2.40	2.20	2.60	50.00	1.0
BZX84C2V7CA	SOT-23	0.35	2.70	2.50	2.90	20.00	1.0
BZX84C3V0CA	SOT-23	0.35	3.00	2.80	3.20	10.00	1.0
BZX84C3V3CA	SOT-23	0.35	3.30	3.10	3.50	5.00	1.0
BZX84C3V6CA	SOT-23	0.35	3.60	3.40	3.80	5.00	1.0
BZX84C3V9CA	SOT-23	0.35	3.90	3.70	4.10	3.00	1.0
BZX84C4V3CA	SOT-23	0.35	4.30	4.00	4.60	3.00	1.0
BZX84C4V7CA	SOT-23	0.35	4.70	4.40	5.00	3.00	2.0
BZX84C5V1CA	SOT-23	0.35	5.10	4.80	5.40	2.00	2.0
BZX84C5V6CA	SOT-23	0.35	5.60	5.20	6.00	1.00	2.0
BZX84C6V2CA	SOT-23	0.35	6.20	5.80	6.60	3.00	4.0
BZX84C6V8CA	SOT-23	0.35	6.80	6.40	7.20	2.00	4.0
BZX84C7V5CA	SOT-23	0.35	7.50	7.00	7.90	1.00	5.0
BZX84C8V2CA	SOT-23	0.35	8.20	7.70	8.70	0.70	5.0
BZX84C9V1CA	SOT-23	0.35	9.10	8.50	9.60	0.50	6.0
BZX84C10CA	SOT-23	0.35	10.00	9.40	10.60	0.20	7.0
BZX84C11CA	SOT-23	0.35	11.00	10.40	11.60	0.10	8.0
BZX84C12CA	SOT-23	0.35	12.00	11.40	12.70	0.10	8.0
BZX84C13CA	SOT-23	0.35	13.00	12.40	14.10	0.10	8.0
BZX84C15CA	SOT-23	0.35	15.00	14.30	15.80	0.05	10.5
BZX84C16CA	SOT-23	0.35	16.00	15.30	17.10	0.05	11.2
BZX84C18CA	SOT-23	0.35	18.00	16.80	19.10	0.05	12.6
BZX84C20CA	SOT-23	0.35	20.00	18.80	21.20	0.05	14.0

BZX84C22CA	SOT-23	0.35	22.00	20.80	23.30	0.05	15.4
BZX84C24CA	SOT-23	0.35	24.00	22.80	25.60	0.05	16.8
BZX84C27CA	SOT-23	0.35	27.00	25.10	28.90	0.05	18.9
BZX84C30CA	SOT-23	0.35	30.00	28.00	32.00	0.05	21.0
BZX84C33CA	SOT-23	0.35	33.00	31.00	35.00	0.05	23.1
BZX84C36CA	SOT-23	0.35	36.00	34.00	38.00	0.05	25.2
BZX84C39CA	SOT-23	0.35	39.00	37.00	41.00	0.05	27.3
BZX84C43CA	SOT-23	0.35	43.00	40.00	46.00	0.05	30.1
BZX84C47CA	SOT-23	0.35	47.00	44.00	50.00	0.05	32.9
BZX84C51CA	SOT-23	0.35	51.00	48.00	54.00	0.05	35.7
BZX84C56CA	SOT-23	0.35	56.00	52.00	60.00	0.05	39.2
BZX84C62CA	SOT-23	0.35	62.00	58.00	66.00	0.05	43.4
BZX84C68CA	SOT-23	0.35	68.00	64.00	72.00	0.05	47.6
BZX84C75CA	SOT-23	0.35	75.00	70.00	79.00	0.05	52.5
BZT52B2V4	SOD-123	0.5	2.40	2.35	2.45	50.00	1.0
BZT52B2V7	SOD-123	0.5	2.70	2.65	2.75	20.00	1.0
BZT52B3V0	SOD-123	0.5	3.00	2.94	3.06	10.00	1.0
BZT52B3V3	SOD-123	0.5	3.30	3.23	3.37	5.00	1.0
BZT52B3V6	SOD-123	0.5	3.60	3.53	3.67	5.00	1.0
BZT52B3V9	SOD-123	0.5	3.90	3.82	3.98	3.00	1.0
BZT52B4V3	SOD-123	0.5	4.30	4.21	4.39	3.00	1.0
BZT52B4V7	SOD-123	0.5	4.70	4.61	4.79	3.00	2.0
BZT52B5V1	SOD-123	0.5	5.10	5.00	5.20	2.00	2.0
BZT52B5V6	SOD-123	0.5	5.60	5.49	5.71	1.00	2.0
BZT52B6V2	SOD-123	0.5	6.20	6.08	6.32	3.00	4.0
BZT52B6V8	SOD-123	0.5	6.80	6.66	6.94	2.00	4.0
BZT52B7V5	SOD-123	0.5	7.50	7.35	7.65	1.00	5.0
BZT52B8V2	SOD-123	0.5	8.20	8.04	8.36	0.70	5.0
BZT52B9V1	SOD-123	0.5	9.10	8.92	9.28	0.50	6.0
BZT52B10	SOD-123	0.5	10.00	9.80	10.20	0.20	7.0
BZT52B11	SOD-123	0.5	11.00	10.78	11.22	0.10	8.0
BZT52B12	SOD-123	0.5	12.00	11.76	12.24	0.10	8.0
BZT52B13	SOD-123	0.5	13.00	12.74	13.26	0.10	8.0
BZT52B15	SOD-123	0.5	15.00	14.70	15.30	0.10	10.5

BZT52B16	SOD-123	0.5	16.00	15.68	16.32	0.10	11.2
BZT52B18	SOD-123	0.5	18.00	17.64	18.36	0.10	12.6
BZT52B20	SOD-123	0.5	20.00	19.60	20.40	0.10	14.0
BZT52B22	SOD-123	0.5	22.00	21.56	22.44	0.10	15.4
BZT52B24	SOD-123	0.5	24.00	23.52	24.48	0.10	16.8
BZT52B27	SOD-123	0.5	27.00	26.46	27.54	0.10	18.9
BZT52B30	SOD-123	0.5	30.00	29.40	30.60	0.10	21.0
BZT52B33	SOD-123	0.5	33.00	32.34	33.66	0.10	23.1
BZT52B36	SOD-123	0.5	36.00	35.28	36.72	0.10	25.2
BZT52B39	SOD-123	0.5	39.00	38.22	39.78	0.10	27.3
BZT52B43	SOD-123	0.5	43.00	41.16	42.84	0.10	30.1
BZT52B47	SOD-123	0.5	47.00	46.06	47.94	0.10	33.0
BZT52B51	SOD-123	0.5	51.00	49.98	52.02	0.10	35.7
BZT52B56	SOD-123	0.5	56.00	54.88	57.12	0.10	39.2
BZT52B62	SOD-123	0.5	62.00	60.76	63.24	0.10	43.4
BZT52B68	SOD-123	0.5	68.00	66.64	69.36	0.10	47.6
BZT52B75	SOD-123	0.5	75.00	73.05	76.50	0.10	52.5
BZT52C2V0	SOD-123	0.5	2.00	1.80	2.15	100.00	1.0
BZT52C2V4	SOD-123	0.5	2.40	2.20	2.60	50.00	1.0
BZT52C2V7	SOD-123	0.5	2.70	2.50	2.90	20.00	1.0
BZT52C3V0	SOD-123	0.5	3.00	2.80	3.20	10.00	1.0
BZT52C3V3	SOD-123	0.5	3.30	3.10	3.50	5.00	1.0
BZT52C3V6	SOD-123	0.5	3.60	3.40	3.80	5.00	1.0
BZT52C3V9	SOD-123	0.5	3.90	3.70	4.10	3.00	1.0
BZT52C4V3	SOD-123	0.5	4.30	4.00	4.60	3.00	1.0
BZT52C4V7	SOD-123	0.5	4.70	4.40	5.00	3.00	2.0
BZT52C5V1	SOD-123	0.5	5.10	4.80	5.40	2.00	2.0
BZT52C5V6	SOD-123	0.5	5.60	5.20	6.00	1.00	2.0
BZT52C6V2	SOD-123	0.5	6.20	5.80	6.60	3.00	4.0
BZT52C6V8	SOD-123	0.5	6.80	6.40	7.20	2.00	4.0
BZT52C7V5	SOD-123	0.5	7.50	7.00	7.90	1.00	5.0
BZT52C8V2	SOD-123	0.5	8.20	7.70	8.70	0.70	5.0
BZT52C9V1	SOD-123	0.5	9.10	8.50	9.60	0.50	6.0
BZT52C10	SOD-123	0.5	10.00	9.40	10.60	0.20	7.0

BZT52C11	SOD-123	0.5	11.00	10.40	11.60	0.10	8.0
BZT52C12	SOD-123	0.5	12.00	11.40	12.70	0.10	8.0
BZT52C13	SOD-123	0.5	13.00	12.40	14.10	0.10	8.0
BZT52C15	SOD-123	0.5	15.00	13.80	15.60	0.10	10.5
BZT52C16	SOD-123	0.5	16.00	15.30	17.10	0.10	11.2
BZT52C18	SOD-123	0.5	18.00	16.80	19.10	0.10	12.6
BZT52C20	SOD-123	0.5	20.00	18.80	21.20	0.10	14.0
BZT52C22	SOD-123	0.5	22.00	20.80	23.30	0.10	15.4
BZT52C24	SOD-123	0.5	24.00	22.80	25.60	0.10	16.8
BZT52C27	SOD-123	0.5	27.00	25.10	28.90	0.10	18.9
BZT52C30	SOD-123	0.5	30.00	28.00	32.00	0.10	21.0
BZT52C33	SOD-123	0.5	33.00	31.00	35.00	0.10	23.1
BZT52C36	SOD-123	0.5	36.00	34.00	38.00	0.10	25.2
BZT52C39	SOD-123	0.5	39.00	37.00	41.00	0.10	27.3
BZT52C43	SOD-123	0.5	43.00	40.00	46.00	2.00	33.0
BZT52C47	SOD-123	0.5	47.00	44.00	50.00	2.00	36.0
BZT52C51	SOD-123	0.5	51.00	48.00	54.00	1.00	39.0
BZT52C56	SOD-123	0.5	56.00	52.00	60.00	1.00	43.0
BZT52C62	SOD-123	0.5	62.00	58.00	66.00	0.20	47.0
BZT52C68	SOD-123	0.5	68.00	64.00	72.00	0.20	52.0
BZT52C75	SOD-123	0.5	75.00	70.00	79.00	0.20	57.0
MM1Z2V0	SOD-123	0.5	2.00	1.80	2.15	120.00	0.5
MM1Z2V2	SOD-123	0.5	2.20	2.08	2.33	120.00	0.7
MM1Z2V4	SOD-123	0.5	2.40	2.28	2.56	120.00	1.0
MM1Z2V7	SOD-123	0.5	2.70	2.50	2.90	120.00	1.0
MM1Z3V0	SOD-123	0.5	3.00	2.80	3.20	50.00	1.0
MM1Z3V3	SOD-123	0.5	3.30	3.10	3.50	20.00	1.0
MM1Z3V6	SOD-123	0.5	3.60	3.40	3.80	10.00	1.0
MM1Z3V9	SOD-123	0.5	3.90	3.70	4.10	5.00	1.0
MM1Z4V3	SOD-123	0.5	4.30	4.00	4.60	5.00	1.0
MM1Z4V7	SOD-123	0.5	4.70	4.40	5.00	2.00	1.0
MM1Z5V1	SOD-123	0.5	5.10	4.80	5.40	2.00	1.5
MM1Z5V6	SOD-123	0.5	5.60	5.20	6.00	1.00	2.5
MM1Z6V2	SOD-123	0.5	6.20	5.80	6.60	1.00	3.0

MM1Z6V8	SOD-123	0.5	6.80	6.40	7.20	0.50	3.5
MM1Z7V5	SOD-123	0.5	7.50	7.00	7.90	0.50	4.0
MM1Z8V2	SOD-123	0.5	8.20	7.70	8.70	0.50	5.0
MM1Z9V1	SOD-123	0.5	9.10	8.50	9.60	0.50	6.0
MM1Z10	SOD-123	0.5	10.00	9.40	10.60	0.10	7.0
MM1Z11	SOD-123	0.5	11.00	10.40	11.60	0.10	8.0
MM1Z12	SOD-123	0.5	12.00	11.40	12.70	0.10	9.0
MM1Z13	SOD-123	0.5	13.00	12.40	14.10	0.10	10.0
MM1Z15	SOD-123	0.5	15.00	13.80	15.60	0.10	11.0
MM1Z16	SOD-123	0.5	16.00	15.30	17.10	0.10	12.0
MM1Z18	SOD-123	0.5	18.00	16.80	19.10	0.10	13.0
MM1Z20	SOD-123	0.5	20.00	18.80	21.20	0.10	15.0
MM1Z22	SOD-123	0.5	22.00	20.80	23.30	0.10	17.0
MM1Z24	SOD-123	0.5	24.00	22.80	25.60	0.10	19.0
MM1Z27	SOD-123	0.5	27.00	25.10	28.90	0.10	21.0
MM1Z30	SOD-123	0.5	30.00	28.00	32.00	0.10	23.0
MM1Z33	SOD-123	0.5	33.00	31.00	35.00	0.10	25.0
MM1Z36	SOD-123	0.5	36.00	34.00	38.00	0.10	27.0
MM1Z39	SOD-123	0.5	39.00	37.00	41.00	2.00	30.0
MM1Z43	SOD-123	0.5	43.00	40.00	46.00	2.00	33.0
MM1Z47	SOD-123	0.5	47.00	44.00	50.00	2.00	36.0
MM1Z51	SOD-123	0.5	51.00	48.00	54.00	1.00	39.0
MM1Z56	SOD-123	0.5	56.00	52.00	60.00	1.00	43.0
MM1Z62	SOD-123	0.5	62.00	58.00	66.00	0.20	47.0
MM1Z68	SOD-123	0.5	68.00	64.00	72.00	0.20	52.0
MM1Z75	SOD-123	0.5	75.00	70.00	79.00	0.20	57.0
SML4729A	SOD-123	1.0	3.60	-	-	100.00	1.0
SML4730A	SOD-123	1.0	3.90	-	-	50.00	1.0
SML4731A	SOD-123	1.0	4.30	-	-	10.00	1.0
SML4732A	SOD-123	1.0	4.70	-	-	10.00	1.0
SML4733A	SOD-123	1.0	5.10	-	-	10.00	1.0
SML4734A	SOD-123	1.0	5.60	-	-	10.00	2.0
SML4735A	SOD-123	1.0	6.20	-	-	10.00	3.0
SML4736A	SOD-123	1.0	6.80	-	-	5.00	4.0

SML4737A	SOD-123	1.0	7.50	-	-	5.00	5.0
SML4738A	SOD-123	1.0	8.20	-	-	5.00	6.0
SML4739A	SOD-123	1.0	9.10	-	-	0.10	7.0
SML4740A	SOD-123	1.0	10.00	-	-	0.10	7.6
SML4741A	SOD-123	1.0	11.00	-	-	0.10	8.4
SML4742A	SOD-123	1.0	12.00	-	-	0.10	9.1
SML4743A	SOD-123	1.0	13.00	-	-	0.10	9.9
SML4744A	SOD-123	1.0	15.00	-	-	0.10	11.4
SML4745A	SOD-123	1.0	16.00	-	-	0.10	12.2
SML4746A	SOD-123	1.0	18.00	-	-	0.10	13.7
SML4747A	SOD-123	1.0	20.00	-	-	0.10	15.2
SML4748A	SOD-123	1.0	22.00	-	-	0.10	16.7
SML4749A	SOD-123	1.0	24.00	-	-	0.10	18.2
SML4750A	SOD-123	1.0	27.00	-	-	0.10	20.6
SML4751A	SOD-123	1.0	30.00	-	-	0.10	22.8
SML4752A	SOD-123	1.0	33.00	-	-	0.10	25.1
SML4753A	SOD-123	1.0	36.00	-	-	0.10	27.4
SML4754A	SOD-123	1.0	39.00	-	-	0.10	29.7
SML4755A	SOD-123	1.0	43.00	-	-	0.10	32.7
SML4756A	SOD-123	1.0	47.00	-	-	0.10	35.8
SML4757A	SOD-123	1.0	51.00	-	-	0.10	38.8
SML4758A	SOD-123	1.0	56.00	-	-	0.10	42.6
SML4759A	SOD-123	1.0	62.00	-	-	0.10	47.1
SML4760A	SOD-123	1.0	68.00	-	-	0.10	51.7
SML4761A	SOD-123	1.0	75.00	-	-	0.10	56.0
SML4762A	SOD-123	1.0	82.00	-	-	0.10	62.2
SML4763A	SOD-123	1.0	91.00	-	-	0.10	69.2
SML4764A	SOD-123	1.0	100.00	-	-	0.10	76.0
SMA4728A	SMA	1.0	3.30	-	-	100.00	1.0
SMA4729A	SMA	1.0	3.60	-	-	100.00	1.0
SMA4730A	SMA	1.0	3.90	-	-	50.00	1.0
SMA4731A	SMA	1.0	4.30	-	-	10.00	1.0
SMA4732A	SMA	1.0	4.70	-	-	10.00	1.0
SMA4733A	SMA	1.0	5.10	-	-	10.00	1.0

SMA4734A	SMA	1.0	5.60	-	-	10.00	2.0
SMA4735A	SMA	1.0	6.20	-	-	10.00	3.0
SMA4736A	SMA	1.0	6.80	-	-	5.00	4.0
SMA4737A	SMA	1.0	7.50	-	-	5.00	5.0
SMA4738A	SMA	1.0	8.20	-	-	0.50	6.0
SMA4739A	SMA	1.0	9.10	-	-	0.50	7.0
SMA4740A	SMA	1.0	10.00	-	-	0.10	7.6
SMA4741A	SMA	1.0	11.00	-	-	0.10	8.4
SMA4742A	SMA	1.0	12.00	-	-	0.10	9.1
SMA4743A	SMA	1.0	13.00	-	-	0.10	9.9
SMA4744A	SMA	1.0	15.00	-	-	0.10	11.4
SMA4745A	SMA	1.0	16.00	-	-	0.10	12.2
SMA4746A	SMA	1.0	18.00	-	-	0.10	13.7
SMA4747A	SMA	1.0	20.00	-	-	0.10	15.2
SMA4748A	SMA	1.0	22.00	-	-	0.10	16.7
SMA4749A	SMA	1.0	24.00	-	-	0.10	18.2
SMA4750A	SMA	1.0	27.00	-	-	0.10	20.6
SMA4751A	SMA	1.0	30.00	-	-	0.10	22.8
SMA4752A	SMA	1.0	33.00	-	-	0.10	25.1
SMA4753A	SMA	1.0	36.00	-	-	0.10	27.4
SMA4754A	SMA	1.0	39.00	-	-	0.10	29.7
SMA4755A	SMA	1.0	43.00	-	-	0.10	32.7
SMA4756A	SMA	1.0	47.00	-	-	0.10	35.8
SMA4757A	SMA	1.0	51.00	-	-	0.10	38.8
SMA4758A	SMA	1.0	56.00	-	-	0.10	42.6
SMA4759A	SMA	1.0	62.00	-	-	0.10	47.1
SMA4760A	SMA	1.0	68.00	-	-	0.10	51.7
SMA4761A	SMA	1.0	75.00	-	-	0.10	56.0
SMA4762A	SMA	1.0	82.00	-	-	0.10	62.2
SMA4763A	SMA	1.0	91.00	-	-	0.10	69.2
SMA4764A	SMA	1.0	100.00	-	-	0.10	76.0
SMA5913B	SMA	1.5	3.30	3.14	3.47	100.00	1.0
SMA5914B	SMA	1.5	3.60	3.42	3.78	100.00	1.0
SMA5915B	SMA	1.5	3.90	3.71	4.10	50.00	1.0

SMA5916B	SMA	1.5	4.30	4.09	4.52	10.00	1.0
SMA5917B	SMA	1.5	4.70	4.47	4.94	10.00	1.5
SMA5918B	SMA	1.5	5.10	4.85	5.36	10.00	2.0
SMA5919B	SMA	1.5	5.60	5.32	5.88	10.00	3.0
SMA5920B	SMA	1.5	6.20	5.89	6.51	10.00	4.0
SMA5921B	SMA	1.5	6.80	6.46	7.14	10.00	5.2
SMA5922B	SMA	1.5	7.50	7.13	7.88	10.00	6.0
SMA5923B	SMA	1.5	8.20	7.79	8.61	10.00	6.5
SMA5924B	SMA	1.5	9.10	8.65	9.56	10.00	7.0
SMA5925B	SMA	1.5	10.00	9.50	10.50	10.00	8.0
SMA5926B	SMA	1.5	11.00	10.45	11.55	0.50	8.4
SMA5927B	SMA	1.5	12.00	11.40	12.60	0.50	9.1
SMA5928B	SMA	1.5	13.00	12.35	13.65	0.50	9.9
SMA5929B	SMA	1.5	15.00	14.25	15.75	0.50	11.4
SMA5930B	SMA	1.5	16.00	15.20	16.80	0.50	12.2
SMA5931B	SMA	1.5	18.00	17.10	18.90	0.50	13.7
SMA5932B	SMA	1.5	20.00	19.00	21.00	0.50	15.2
SMA5933B	SMA	1.5	22.00	20.90	23.10	0.50	16.7
SMA5934B	SMA	1.5	24.00	22.80	25.20	0.50	18.2
SMA5935B	SMA	1.5	27.00	25.65	28.35	0.50	20.6
SMA5936B	SMA	1.5	30.00	28.50	31.50	0.50	22.8
SMA5937B	SMA	1.5	33.00	31.35	34.65	0.50	25.1
SMA5938B	SMA	1.5	36.00	34.20	37.80	0.50	27.4
SMA5939B	SMA	1.5	39.00	37.05	40.95	0.50	29.7
SMA5940B	SMA	1.5	43.00	40.85	45.15	0.50	32.7
SMA5941B	SMA	1.5	47.00	44.65	49.35	0.50	35.8
SMA5942B	SMA	1.5	51.00	48.45	53.55	0.50	38.8
SMA5943B	SMA	1.5	56.00	53.20	58.80	0.50	42.6
SMA5944B	SMA	1.5	62.00	58.90	65.10	0.50	47.1
SMA5945B	SMA	1.5	68.00	64.60	71.40	0.50	51.7
SMA5946B	SMA	1.5	75.00	71.25	78.75	0.50	56.0
SMA5947B	SMA	1.5	82.00	77.90	86.10	0.50	62.2
SMA5948B	SMA	1.5	91.00	86.45	95.55	0.50	69.2
SMA5949B	SMA	1.5	100.00	95.00	105.00	0.50	76.0

SMA5950B	SMA	1.5	110.00	104.50	115.50	0.50	83.6
SMA5951B	SMA	1.5	120.00	114.00	126.00	0.50	91.2
SMA5952B	SMA	1.5	130.00	123.50	136.50	0.50	98.8
SMA5953B	SMA	1.5	150.00	142.50	157.50	0.50	114.0
SMA5954B	SMA	1.5	160.00	152.00	168.00	0.50	121.6
SMA5955B	SMA	1.5	180.00	171.00	189.00	0.50	136.8
SMA5956B	SMA	1.5	200.00	190.00	210.00	0.50	152.0
SMB5913B	SMB	1.5	3.30	3.14	3.47	100.00	1.0
SMB5914B	SMB	1.5	3.60	3.42	3.78	100.00	1.0
SMB5915B	SMB	1.5	3.90	3.71	4.10	50.00	1.0
SMB5916B	SMB	1.5	4.30	4.09	4.52	10.00	1.0
SMB5917B	SMB	1.5	4.70	4.47	4.94	10.00	1.5
SMB5918B	SMB	1.5	5.10	4.85	5.36	10.00	2.0
SMB5919B	SMB	1.5	5.60	5.32	5.88	10.00	3.0
SMB5920B	SMB	1.5	6.20	5.89	6.51	10.00	4.0
SMB5921B	SMB	1.5	6.80	6.46	7.14	10.00	5.2
SMB5922B	SMB	1.5	7.50	7.13	7.88	10.00	6.0
SMB5923B	SMB	1.5	8.20	7.79	8.61	10.00	6.5
SMB5924B	SMB	1.5	9.10	8.65	9.56	10.00	7.0
SMB5925B	SMB	1.5	10.00	9.50	10.50	10.00	8.0
SMB5926B	SMB	1.5	11.00	10.45	11.55	0.50	8.4
SMB5927B	SMB	1.5	12.00	11.40	12.60	0.50	9.1
SMB5928B	SMB	1.5	13.00	12.35	13.65	0.50	9.9
SMB5929B	SMB	1.5	15.00	14.25	15.75	0.50	11.4
SMB5930B	SMB	1.5	16.00	15.20	16.80	0.50	12.2
SMB5931B	SMB	1.5	18.00	17.10	18.90	0.50	13.7
SMB5932B	SMB	1.5	20.00	19.00	21.00	0.50	15.2
SMB5933B	SMB	1.5	22.00	20.90	23.10	0.50	16.7
SMB5934B	SMB	1.5	24.00	22.80	25.20	0.50	18.2
SMB5935B	SMB	1.5	27.00	25.65	28.35	0.50	20.6
SMB5936B	SMB	1.5	30.00	28.50	31.50	0.50	22.8
SMB5937B	SMB	1.5	33.00	31.35	34.65	0.50	25.1
SMB5938B	SMB	1.5	36.00	34.20	37.80	0.50	27.4
SMB5939B	SMB	1.5	39.00	37.05	40.95	0.50	29.7

SMB5940B	SMB	1.5	43.00	40.85	45.15	0.50	32.7
SMB5941B	SMB	1.5	47.00	44.65	49.35	0.50	35.8
SMB5942B	SMB	1.5	51.00	48.45	53.55	0.50	38.8
SMB5943B	SMB	1.5	56.00	53.20	58.80	0.50	42.6
SMB5944B	SMB	1.5	62.00	58.90	65.10	0.50	47.1
SMB5945B	SMB	1.5	68.00	64.60	71.40	0.50	51.7
SMB5946B	SMB	1.5	75.00	71.25	78.75	0.50	56.0
SMB5947B	SMB	1.5	82.00	77.90	86.10	0.50	62.2
SMB5948B	SMB	1.5	91.00	86.45	95.55	0.50	69.2
SMB5949B	SMB	1.5	100.00	95.00	105.00	0.50	76.0
SMB5950B	SMB	1.5	110.00	104.50	115.50	0.50	83.6
SMB5951B	SMB	1.5	120.00	114.00	126.00	0.50	91.2
SMB5952B	SMB	1.5	130.00	123.50	136.50	0.50	98.8
SMB5953B	SMB	1.5	150.00	142.50	157.50	0.50	114.0
SMB5954B	SMB	1.5	160.00	152.00	168.00	0.50	121.6
SMB5955B	SMB	1.5	180.00	171.00	189.00	0.50	136.8
SMB5956B	SMB	1.5	200.00	190.00	210.00	0.50	152.0
SMA2EZ2.7D5	SMA	2.0	2.70	-	-	100.00	1.0
SMA2EZ3.0D5	SMA	2.0	3.00	-	-	100.00	1.0
SMA2EZ3.3D5	SMA	2.0	3.30	-	-	80.00	1.0
SMA2EZ3.6D5	SMA	2.0	3.60	-	-	80.00	1.0
SMA2EZ3.9D5	SMA	2.0	3.90	-	-	30.00	1.0
SMA2EZ4.3D5	SMA	2.0	4.30	-	-	20.00	1.0
SMA2EZ4.7D5	SMA	2.0	4.70	-	-	5.00	1.0
SMA2EZ5.1D5	SMA	2.0	5.10	-	-	5.00	1.0
SMA2EZ5.6D5	SMA	2.0	5.60	-	-	5.00	2.0
SMA2EZ6.2D5	SMA	2.0	6.20	-	-	5.00	3.0
SMA2EZ6.8D5	SMA	2.0	6.80	-	-	5.00	4.0
SMA2EZ7.5D5	SMA	2.0	7.50	-	-	5.00	5.0
SMA2EZ8.2D5	SMA	2.0	8.20	-	-	5.00	6.0
SMA2EZ9.1D5	SMA	2.0	9.10	-	-	3.00	7.0
SMA2EZ10D5	SMA	2.0	10.00	-	-	3.00	7.6
SMA2EZ11D5	SMA	2.0	11.00	-	-	1.00	8.4
SMA2ZE12D5	SMA	2.0	12.00	-	-	1.00	9.1

SMA2EZ13D5	SMA	2.0	13.00	-	-	0.50	9.9
SMA2EZ14D5	SMA	2.0	14.00	-	-	0.50	10.6
SMA2EZ15D5	SMA	2.0	15.00	-	-	0.50	11.4
SMA2EZ16D5	SMA	2.0	16.00	-	-	0.50	12.2
SMA2EZ17D5	SMA	2.0	17.00	-	-	0.50	13.0
SMA2EZ18D5	SMA	2.0	18.00	-	-	0.50	13.7
SMA2EZ19D5	SMA	2.0	19.00	-	-	0.50	14.4
SMA2EZ20D5	SMA	2.0	20.00	-	-	0.50	15.2
SMA2EZ22D5	SMA	2.0	22.00	-	-	0.50	16.7
SMA2EZ24D5	SMA	2.0	24.00	-	-	0.50	18.2
SMA2EZ27D5	SMA	2.0	27.00	-	-	0.50	20.6
SMA2EZ30D5	SMA	2.0	30.00	-	-	0.50	22.5
SMA2EZ33D5	SMA	2.0	33.00	-	-	0.50	25.1
SMA2EZ36D5	SMA	2.0	36.00	-	-	0.50	27.4
SMA2EZ39D5	SMA	2.0	39.00	-	-	0.50	29.7
SMA2EZ43D5	SMA	2.0	43.00	-	-	0.50	32.7
SMA2EZ47D5	SMA	2.0	47.00	-	-	0.50	35.8
SMA2EZ51D5	SMA	2.0	51.00	-	-	0.50	38.8
SMA2EZ56D5	SMA	2.0	56.00	-	-	0.50	42.6
SMA2EZ62D5	SMA	2.0	62.00	-	-	0.50	47.1
SMA2EZ68D5	SMA	2.0	68.00	-	-	0.50	51.7
SMA2EZ75D5	SMA	2.0	75.00	-	-	0.50	56.0
SMA2EZ82D5	SMA	2.0	82.00	-	-	0.50	62.2
SMA2EZ91D5	SMA	2.0	91.00	-	-	0.50	69.2
SMA2EZ100D5	SMA	2.0	100.00	-	-	0.50	76.0
SMB2EZ3.3D5	SMB	2.0	3.30	3.14	3.47	100.00	1.0
SMB2EZ3.6D5	SMB	2.0	3.60	3.42	3.78	100.00	1.0
SMB2EZ3.9D5	SMB	2.0	3.90	3.71	4.10	50.00	1.0
SMB2EZ4.3D5	SMB	2.0	4.30	4.09	4.52	50.00	1.0
SMB2EZ4.7D5	SMB	2.0	4.70	4.47	4.94	10.00	1.0
SMB2EZ5.1D5	SMB	2.0	5.10	4.85	5.36	10.00	1.0
SMB2EZ5.6D5	SMB	2.0	5.60	5.32	5.88	10.00	2.0
SMB2EZ6.2D5	SMB	2.0	6.20	5.89	6.51	10.00	3.0
SMB2EZ6.8D5	SMB	2.0	6.80	6.46	7.14	10.00	4.0

SMB2EZ7.5D5	SMB	2.0	7.50	7.13	7.88	10.00	5.0
SMB2EZ8.2D5	SMB	2.0	8.20	7.79	8.61	10.00	6.0
SMB2EZ9.1D5	SMB	2.0	9.10	8.65	9.56	10.00	7.0
SMB2EZ10D5	SMB	2.0	10.00	9.50	10.50	10.00	7.6
SMB2EZ11D5	SMB	2.0	11.00	10.45	11.55	0.50	8.4
SMB2EZ12D5	SMB	2.0	12.00	11.40	12.60	0.50	9.1
SMB2EZ13D5	SMB	2.0	13.00	12.35	13.65	0.50	9.9
SMB2EZ14D5	SMB	2.0	14.00	13.30	14.70	0.50	10.6
SMB2EZ15D5	SMB	2.0	15.00	14.25	15.75	0.50	11.4
SMB2EZ16D5	SMB	2.0	16.00	15.20	16.80	0.50	12.2
SMB2EZ17D5	SMB	2.0	17.00	16.15	17.85	0.50	13.0
SMB2EZ18D5	SMB	2.0	18.00	17.10	18.90	0.50	13.7
SMB2EZ19D5	SMB	2.0	19.00	18.05	19.95	0.50	14.4
SMB2EZ20D5	SMB	2.0	20.00	19.00	21.00	0.50	15.2
SMB2EZ22D5	SMB	2.0	22.00	20.90	23.10	0.50	16.7
SMB2EZ24D5	SMB	2.0	24.00	22.80	25.20	0.50	18.2
SMB2EZ27D5	SMB	2.0	27.00	25.65	28.35	0.50	20.6
SMB2EZ30D5	SMB	2.0	30.00	28.50	31.50	0.50	22.5
SMB2EZ33D5	SMB	2.0	33.00	31.35	34.65	0.50	25.1
SMB2EZ36D5	SMB	2.0	36.00	34.20	37.80	0.50	27.4
SMB2EZ39D5	SMB	2.0	39.00	37.05	40.95	0.50	29.7
SMB2EZ43D5	SMB	2.0	43.00	40.85	45.15	0.50	32.7
SMB2EZ47D5	SMB	2.0	47.00	44.65	49.35	0.50	35.8
SMB2EZ51D5	SMB	2.0	51.00	48.45	53.55	0.50	38.8
SMB2EZ56D5	SMB	2.0	56.00	53.20	58.80	0.50	42.6
SMB2EZ62D5	SMB	2.0	62.00	58.90	65.10	0.50	47.1
SMB2EZ68D5	SMB	2.0	68.00	64.60	71.40	0.50	51.7
SMB2EZ75D5	SMB	2.0	75.00	71.25	78.75	0.50	56.0
SMB2EZ82D5	SMB	2.0	82.00	77.90	86.10	0.50	62.2
SMB2EZ91D5	SMB	2.0	91.00	86.45	95.55	0.50	69.2
SMB2EZ100D5	SMB	2.0	100.00	95.00	105.00	0.50	76.0
SMB2EZ110D5	SMB	2.0	110.00	104.50	115.50	0.50	83.6
SMB2EZ120D5	SMB	2.0	120.00	114.00	126.00	0.50	91.2
SMB2EZ130D5	SMB	2.0	130.00	123.50	136.50	0.50	98.8

SMB2EZ140D5	SMB	2.0	140.00	133.00	147.00	0.50	106.4
SMB2EZ150D5	SMB	2.0	150.00	142.50	157.50	0.50	114.0
SMB2EZ160D5	SMB	2.0	160.00	152.00	168.00	0.50	121.6
SMB2EZ170D5	SMB	2.0	170.00	161.50	178.50	0.50	130.4
SMB2EZ180D5	SMB	2.0	180.00	171.00	189.00	0.50	136.8
SMB2EZ190D5	SMB	2.0	190.00	180.50	199.50	0.50	144.8
SMB2EZ200D5	SMB	2.0	200.00	190.00	210.00	0.50	152.0
SMA3EZ3.3D5	SMA	3.0	3.30	3.14	3.47	100.00	1.0
SMA3EZ3.6D5	SMA	3.0	3.60	3.42	3.78	100.00	1.0
SMA3EZ3.9D5	SMA	3.0	3.90	3.71	4.10	100.00	1.0
SMA3EZ4.3D5	SMA	3.0	4.30	4.09	4.52	50.00	1.0
SMA3EZ4.7D5	SMA	3.0	4.70	4.47	4.94	50.00	1.0
SMA3EZ5.1D5	SMA	3.0	5.10	4.85	5.36	10.00	1.0
SMA3EZ5.6D5	SMA	3.0	5.60	5.32	5.88	10.00	2.0
SMA3EZ6.2D5	SMA	3.0	6.20	5.89	6.51	10.00	3.0
SMA3EZ6.8D5	SMA	3.0	6.80	6.46	7.14	10.00	4.0
SMA3EZ7.5D5	SMA	3.0	7.50	7.13	7.88	10.00	5.0
SMA3EZ8.2D5	SMA	3.0	8.20	7.79	8.61	10.00	6.0
SMA3EZ9.1D5	SMA	3.0	9.10	8.65	9.56	10.00	7.0
SMA3EZ10D5	SMA	3.0	10.00	9.50	10.50	10.00	7.6
SMA3EZ11D5	SMA	3.0	11.00	10.45	11.55	0.50	8.4
SMA3EZ12D5	SMA	3.0	12.00	11.40	12.60	0.50	9.1
SMA3EZ13D5	SMA	3.0	13.00	12.35	13.65	0.50	9.9
SMA3EZ14D5	SMA	3.0	14.00	13.30	14.70	0.50	10.6
SMA3EZ15D5	SMA	3.0	15.00	14.25	15.75	0.50	11.4
SMA3EZ16D5	SMA	3.0	16.00	15.20	16.80	0.50	12.2
SMA3EZ17D5	SMA	3.0	17.00	16.15	17.85	0.50	13.0
SMA3EZ18D5	SMA	3.0	18.00	17.10	18.90	0.50	13.7
SMA3EZ19D5	SMA	3.0	19.00	18.05	19.95	0.50	14.4
SMA3EZ20D5	SMA	3.0	20.00	19.00	21.00	0.50	15.2
SMA3EZ22D5	SMA	3.0	22.00	20.90	23.10	0.50	16.7
SMA3EZ24D5	SMA	3.0	24.00	22.80	25.20	0.50	18.2
SMA3EZ27D5	SMA	3.0	27.00	25.65	28.35	0.50	20.6
SMA3EZ30D5	SMA	3.0	30.00	28.50	31.50	0.50	22.5

SMA3EZ33D5	SMA	3.0	33.00	31.35	34.65	0.50	25.1
SMA3EZ36D5	SMA	3.0	36.00	34.20	37.80	0.50	27.4
SMA3EZ39D5	SMA	3.0	39.00	37.05	40.95	0.50	29.7
SMA3EZ43D5	SMA	3.0	43.00	40.85	45.15	0.50	32.7
SMA3EZ47D5	SMA	3.0	47.00	44.65	49.35	0.50	35.6
SMA3EZ51D5	SMA	3.0	51.00	48.45	53.55	0.50	38.8
SMA3EZ56D5	SMA	3.0	56.00	53.20	58.80	0.50	42.6
SMA3EZ62D5	SMA	3.0	62.00	58.90	65.10	0.50	47.1
SMA3EZ68D5	SMA	3.0	68.00	64.60	71.40	0.50	51.7
SMA3EZ75D5	SMA	3.0	75.00	71.25	78.75	0.50	56.0
SMA3EZ82D5	SMA	3.0	82.00	77.90	86.10	0.50	62.2
SMA3EZ91D5	SMA	3.0	91.00	86.45	95.55	0.50	69.2
SMA3EZ100D5	SMA	3.0	100.00	95.00	105.00	0.50	76.0
SMA3EZ110D5	SMA	3.0	110.00	104.50	115.50	0.50	83.6
SMA3EZ120D5	SMA	3.0	120.00	114.00	126.00	0.50	91.2
SMA3EZ130D5	SMA	3.0	130.00	123.50	136.50	0.50	98.8
SMA3EZ140D5	SMA	3.0	140.00	133.00	147.00	0.50	106.4
SMA3EZ150D5	SMA	3.0	150.00	142.50	157.50	0.50	114.0
SMA3EZ160D5	SMA	3.0	160.00	152.00	168.00	0.50	121.6
SMA3EZ170D5	SMA	3.0	170.00	161.50	178.50	0.50	130.4
SMA3EZ180D5	SMA	3.0	180.00	171.00	189.00	0.50	136.8
SMA3EZ190D5	SMA	3.0	190.00	180.50	199.50	0.50	144.8
SMA3EZ200D5	SMA	3.0	200.00	190.00	210.00	0.50	152.0
SMB3EZ3.3D5	SMB	3.0	3.30	3.14	3.47	100.00	1.0
SMB3EZ3.6D5	SMB	3.0	3.60	3.42	3.78	100.00	1.0
SMB3EZ3.9D5	SMB	3.0	3.90	3.71	4.10	100.00	1.0
SMB3EZ4.3D5	SMB	3.0	4.30	4.09	4.52	50.00	1.0
SMB3EZ4.7D5	SMB	3.0	4.70	4.47	4.94	50.00	1.0
SMB3EZ5.1D5	SMB	3.0	5.10	4.85	5.36	10.00	1.0
SMB3EZ5.6D5	SMB	3.0	5.60	5.32	5.88	10.00	2.0
SMB3EZ6.2D5	SMB	3.0	6.20	5.89	6.51	10.00	3.0
SMB3EZ6.8D5	SMB	3.0	6.80	6.46	7.14	10.00	4.0
SMB3EZ7.5D5	SMB	3.0	7.50	7.13	7.88	10.00	5.0
SMB3EZ8.2D5	SMB	3.0	8.20	7.79	8.61	10.00	6.0

SMB3EZ9.1D5	SMB	3.0	9.10	8.65	9.56	10.00	7.0
SMB3EZ10D5	SMB	3.0	10.00	9.50	10.50	10.00	7.6
SMB3EZ11D5	SMB	3.0	11.00	10.45	11.55	0.50	8.4
SMB3EZ12D5	SMB	3.0	12.00	11.40	12.60	0.50	9.1
SMB3EZ13D5	SMB	3.0	13.00	12.35	13.65	0.50	9.9
SMB3EZ14D5	SMB	3.0	14.00	13.30	14.70	0.50	10.6
SMB3EZ15D5	SMB	3.0	15.00	14.25	15.75	0.50	11.4
SMB3EZ16D5	SMB	3.0	16.00	15.20	16.80	0.50	12.2
SMB3EZ17D5	SMB	3.0	17.00	16.15	17.85	0.50	13.0
SMB3EZ18D5	SMB	3.0	18.00	17.10	18.90	0.50	13.7
SMB3EZ19D5	SMB	3.0	19.00	18.05	19.95	0.50	14.4
SMB3EZ20D5	SMB	3.0	20.00	19.00	21.00	0.50	15.2
SMB3EZ22D5	SMB	3.0	22.00	20.90	23.10	0.50	16.7
SMB3EZ24D5	SMB	3.0	24.00	22.80	25.20	0.50	18.2
SMB3EZ27D5	SMB	3.0	27.00	25.65	28.35	0.50	20.6
SMB3EZ30D5	SMB	3.0	30.00	28.50	31.50	0.50	22.5
SMB3EZ33D5	SMB	3.0	33.00	31.35	34.65	0.50	25.1
SMB3EZ36D5	SMB	3.0	36.00	34.20	37.80	0.50	27.4
SMB3EZ39D5	SMB	3.0	39.00	37.05	40.95	0.50	29.7
SMB3EZ43D5	SMB	3.0	43.00	40.85	45.15	0.50	32.7
SMB3EZ47D5	SMB	3.0	47.00	44.65	49.35	0.50	35.6
SMB3EZ51D5	SMB	3.0	51.00	48.45	53.55	0.50	38.8
SMB3EZ56D5	SMB	3.0	56.00	53.20	58.80	0.50	42.6
SMB3EZ62D5	SMB	3.0	62.00	58.90	65.10	0.50	47.1
SMB3EZ68D5	SMB	3.0	68.00	64.60	71.40	0.50	51.7
SMB3EZ75D5	SMB	3.0	75.00	71.25	78.75	0.50	56.0
SMB3EZ82D5	SMB	3.0	82.00	77.90	86.10	0.50	62.2
SMB3EZ91D5	SMB	3.0	91.00	86.45	95.55	0.50	69.2
SMB3EZ100D5	SMB	3.0	100.00	95.00	105.00	0.50	76.0
SMB3EZ110D5	SMB	3.0	110.00	104.50	115.50	0.50	83.6
SMB3EZ120D5	SMB	3.0	120.00	114.00	126.00	0.50	91.2
SMB3EZ130D5	SMB	3.0	130.00	123.50	136.50	0.50	98.8
SMB3EZ140D5	SMB	3.0	140.00	133.00	147.00	0.50	106.4
SMB3EZ150D5	SMB	3.0	150.00	142.50	157.50	0.50	114.0

SMB3EZ160D5	SMB	3.0	160.00	152.00	168.00	0.50	121.6
SMB3EZ170D5	SMB	3.0	170.00	161.50	178.50	0.50	130.4
SMB3EZ180D5	SMB	3.0	180.00	171.00	189.00	0.50	136.8
SMB3EZ190D5	SMB	3.0	190.00	180.50	199.50	0.50	144.8
SMB3EZ200D5	SMB	3.0	200.00	190.00	210.00	0.50	152.0
SMB3EZ210D5	SMB	3.0	210.00	199.50	220.50	0.50	169.0
SMB3EZ220D5	SMB	3.0	220.00	209.00	231.00	0.50	178.0
SMB3EZ230D5	SMB	3.0	230.00	218.50	241.50	0.50	186.0
SMB3EZ240D5	SMB	3.0	240.00	228.00	252.00	0.50	195.0
SMB3EZ250D5	SMB	3.0	250.00	237.50	262.50	0.50	205.0
SMB5333B	SMB	5.0	3.30	-	-	300.00	1.0
SMB5334B	SMB	5.0	3.60	-	-	150.00	1.0
SMB5335B	SMB	5.0	3.90	-	-	50.00	1.0
SMB5336B	SMB	5.0	4.30	-	-	10.00	1.0
SMB5337B	SMB	5.0	4.70	-	-	5.00	1.0
SMB5338B	SMB	5.0	5.10	-	-	1.00	1.0
SMB5339B	SMB	5.0	5.60	-	-	1.00	2.0
SMB5340B	SMB	5.0	6.00	-	-	1.00	3.0
SMB5341B	SMB	5.0	6.20	-	-	1.00	3.0
SMB5342B	SMB	5.0	6.80	-	-	10.00	5.2
SMB5343B	SMB	5.0	7.50	-	-	10.00	5.7
SMB5344B	SMB	5.0	8.20	-	-	10.00	6.2
SMB5345B	SMB	5.0	8.70	-	-	7.50	6.6
SMB5346B	SMB	5.0	9.10	-	-	5.00	6.9
SMB5347B	SMB	5.0	10.00	-	-	5.00	7.6
SMB5348B	SMB	5.0	11.00	-	-	5.00	8.4
SMB5349B	SMB	5.0	12.00	-	-	2.00	9.1
SMB5350B	SMB	5.0	13.00	-	-	1.00	9.9
SMB5351B	SMB	5.0	14.00	-	-	1.00	10.6
SMB5352B	SMB	5.0	15.00	-	-	1.00	11.5
SMB5353B	SMB	5.0	16.00	-	-	1.00	12.2
SMB5354B	SMB	5.0	17.00	-	-	0.50	12.9
SMB5355B	SMB	5.0	18.00	-	-	0.50	13.7
SMB5356B	SMB	5.0	19.00	-	-	0.50	14.4

SMB5357B	SMB	5.0	20.00	-	-	0.50	15.2
SMB5358B	SMB	5.0	22.00	-	-	0.50	16.7
SMB5359B	SMB	5.0	24.00	-	-	0.50	18.2
SMB5360B	SMB	5.0	25.00	-	-	0.50	19.0
SMB5361B	SMB	5.0	27.00	-	-	0.50	20.6
SMB5362B	SMB	5.0	28.00	-	-	0.50	21.2
SMB5363B	SMB	5.0	30.00	-	-	0.50	22.8
SMB5364B	SMB	5.0	33.00	-	-	0.50	25.1
SMB5365B	SMB	5.0	36.00	-	-	0.50	27.4
SMB5366B	SMB	5.0	39.00	-	-	0.50	29.7
SMB5367B	SMB	5.0	43.00	-	-	0.50	32.7
SMB5368B	SMB	5.0	47.00	-	-	0.50	35.8
SMB5369B	SMB	5.0	51.00	-	-	0.50	38.8
SMB5370B	SMB	5.0	56.00	-	-	0.50	42.6
SMB5371B	SMB	5.0	60.00	-	-	0.50	42.5
SMB5372B	SMB	5.0	62.00	-	-	0.50	47.1
SMB5373B	SMB	5.0	68.00	-	-	0.50	51.7
SMB5374B	SMB	5.0	75.00	-	-	0.50	56.0
SMB5375B	SMB	5.0	82.00	-	-	0.50	62.2
SMB5376B	SMB	5.0	87.00	-	-	0.50	66.0
SMB5377B	SMB	5.0	91.00	-	-	0.50	69.2
SMB5378B	SMB	5.0	100.00	-	-	0.50	76.0
SMC5333B	SMC	5.0	3.30	3.14	3.47	300.00	1.0
SMC5334B	SMC	5.0	3.60	3.42	3.78	150.00	1.0
SMC5335B	SMC	5.0	3.90	3.71	4.10	50.00	1.0
SMC5336B	SMC	5.0	4.30	4.09	4.52	10.00	1.0
SMC5337B	SMC	5.0	4.70	4.47	4.94	5.00	1.0
SMC5338B	SMC	5.0	5.10	4.85	5.36	1.00	1.0
SMC5339B	SMC	5.0	5.60	5.32	5.88	1.00	2.0
SMC5340B	SMC	5.0	6.00	5.70	6.30	1.00	3.0
SMC5341B	SMC	5.0	6.20	5.89	6.51	1.00	3.0
SMC5342B	SMC	5.0	6.80	6.46	7.14	10.00	5.2
SMC5343B	SMC	5.0	7.50	7.13	7.88	10.00	5.7
SMC5344B	SMC	5.0	8.20	7.79	8.61	10.00	6.2

SMC5345B	SMC	5.0	8.70	8.27	9.14	10.00	6.6
SMC5346B	SMC	5.0	9.10	8.65	9.56	7.50	6.9
SMC5347B	SMC	5.0	10.00	9.50	10.50	5.00	7.6
SMC5348B	SMC	5.0	11.00	10.45	11.55	5.00	8.4
SMC5349B	SMC	5.0	12.00	11.40	12.60	2.00	9.1
SMC5350B	SMC	5.0	13.00	12.35	13.65	1.00	9.9
SMC5351B	SMC	5.0	14.00	13.30	14.70	1.00	10.6
SMC5352B	SMC	5.0	15.00	14.25	15.75	1.00	11.5
SMC5353B	SMC	5.0	16.00	15.20	16.80	1.00	12.2
SMC5354B	SMC	5.0	17.00	16.15	17.85	0.50	12.9
SMC5355B	SMC	5.0	18.00	17.10	18.90	0.50	13.7
SMC5356B	SMC	5.0	19.00	18.05	19.95	0.50	14.4
SMC5357B	SMC	5.0	20.00	19.00	21.00	0.50	15.2
SMC5358B	SMC	5.0	22.00	20.90	23.10	0.50	16.7
SMC5359B	SMC	5.0	24.00	22.80	25.20	0.50	18.2
SMC5360B	SMC	5.0	25.00	23.75	26.25	0.50	19.0
SMC5361B	SMC	5.0	27.00	25.65	28.35	0.50	20.6
SMC5362B	SMC	5.0	28.00	26.60	29.40	0.50	21.2
SMC5363B	SMC	5.0	30.00	28.50	31.50	0.50	22.8
SMC5364B	SMC	5.0	33.00	31.35	34.65	0.50	25.1
SMC5365B	SMC	5.0	36.00	34.20	37.80	0.50	27.4
SMC5366B	SMC	5.0	39.00	37.05	40.95	0.50	29.7
SMC5367B	SMC	5.0	43.00	40.85	45.15	0.50	32.7
SMC5368B	SMC	5.0	47.00	44.65	49.35	0.50	35.8
SMC5369B	SMC	5.0	51.00	48.45	53.55	0.50	38.8
SMC5370B	SMC	5.0	56.00	53.20	58.80	0.50	42.6
SMC5371B	SMC	5.0	60.00	57.00	63.00	0.50	42.5
SMC5372B	SMC	5.0	62.00	58.90	65.10	0.50	47.1
SMC5373B	SMC	5.0	68.00	64.60	71.40	0.50	51.7
SMC5374B	SMC	5.0	75.00	71.25	78.75	0.50	56.0
SMC5375B	SMC	5.0	82.00	77.90	86.10	0.50	62.2
SMC5376B	SMC	5.0	87.00	82.65	91.35	0.50	66.0
SMC5377B	SMC	5.0	91.00	86.45	95.55	0.50	69.2
SMC5378B	SMC	5.0	100.00	95.00	105.00	0.50	76.0

SMC5379B	SMC	5.0	110.00	104.50	115.50	0.50	83.6
SMC5380B	SMC	5.0	120.00	114.00	126.00	0.50	91.2
SMC5381B	SMC	5.0	130.00	123.50	136.50	0.50	98.8
SMC5382B	SMC	5.0	140.00	133.00	147.00	0.50	106.0
SMC5383B	SMC	5.0	150.00	142.50	157.50	0.50	114.0
SMC5384B	SMC	5.0	160.00	152.00	168.00	0.50	122.0
SMC5385B	SMC	5.0	170.00	161.50	178.50	0.50	129.0
SMC5386B	SMC	5.0	180.00	171.00	189.00	0.50	137.0
SMC5387B	SMC	5.0	190.00	180.50	199.50	0.50	144.0
SMC5388B	SMC	5.0	200.00	190.00	210.00	0.50	152.0