

Cellular and LTE					
IamiiANT®					
SMD					
Antenna illustration (Not To Scale)					
Product name	Pharaoh	Lucida	Curta	Allani (5G)	Minima (5G)
Part no	SR4L073	SR4L002	SR4L096	SR4L069	SR4L075
Frequency	698-824MHz 824-960MHz 1710-2200MHz 2300-2400MHz 2500-2690MHz	698-824 MHz 824-960 MHz 1710-2170 MHz 2300-2400 MHz 2500-2690 MHz	698-960 MHz 1710-2170 MHz 2300-2400 MHz 2500-2700 MHz	617-824 MHz / 824-960 MHz 1710-2200 MHz / 2300-2400 MHz 2500-2690 MHz / 3300-3800 MHz	617-698MHz / 698-824MHz 824-960MHz / 1710-2170MHz 2300-2400MHz / 2500-2690MHz 3300-3800MHz
Dimensions LWH (mm)	37.0 x 13.0 x 3.3	35.0 x 8.5 x 3.2	40 x 10 x 1.7	45.0 x 10.0 x 3.3	40.0 x 10.0 x 3.3
VSWR	3.8:1 / 2.8:1 / 1.7:1 / 2.2:1 / 2.2:1	3.2:1 / 2.8:1 / 3.1:1 / 1.7:1 / 3.4:1	3.5:1 / 3.3:1 / 1.9:1 / 3.5:1	3.6:1 / 3.3:1 / 2.3:1 / 2.2:1 / 2.4:1 / 2.3:1	3.8:1 / 4.3:1 / 3.8:1 / 1.8:1 / 1.8:1 / 2.0:1 / 2.4:1
Efficiency	25% / 35% / 80% / 65% / 60%	45% / 60% / 65% / 50% / 50%	56% / 66% / 52% / 53%	45% / 55% / 66% / 57% / 63% / 55%	35% / 45% / 60% / 55% / 55% / 60% / 50%
Component & Ground plane	Measurements made on a 60x40mm EVK		<p>Measurements made on a 130x50mm EVK</p>		

## Implementation support

Antenova offers a full range of development support and RF testing to help reduce customization, design costs and accelerate your time to market. Antenova recommends customers to use our know-how when it comes to implementing the antenna. We offer advanced measuring equipment, custom tuning and technical support to obtain a secure and reliable implementation. Make Antenova your partner of choice for new product development.

Contact [sales@antenova.com](mailto:sales@antenova.com), and why not join our antenna design community at [ask.antenova.com](https://ask.antenova.com).

Antenova Limited, Global HQ  
Titan Court, 3 Bishop Sq, Hatfield, AL10 9NA, UK  
T: +44 (0)170 7927 589  
E: [sales@antenova.com](mailto:sales@antenova.com)  
W: [www.antenova.com](http://www.antenova.com)

Cellular and LTE					
IamiiANT®					gigaNOVA®
SMD					
Antenna illustration (Not To Scale)					
Product name	Similis	Inversa	Integra	Latona	Calvus
Part no	SR4C005	SR4L034-L / SR4L034-R	SR4L049-L / SR4L049-R	SR4C033-L / SR4C033-R	A10340H
Frequency	824–960 MHz 1710–1990 MHz 2110–2170MHz 2300–2400 MHz 2500–2690 MHz	698–824 MHz 824–960 MHz 1710–2170 MHz 2300–2400 MHz 2500–2690 MHz	791–960 MHz 1710–2170 MHz 2300–2400 MHz 2500–2690 MHz	791–862 MHz 824–960 MHz	824–960 MHz 1710–2170 MHz
Dimensions LWH (mm)	40.0 x 10.0 x 1.6	28.0 x 8.0 x 3.3	23.0 x 8.0 x 3.3	20.0 x 11.0 x 1.6	28.0 x 8.8 x 3.2
VSWR	3.8:1 / 2.8:1 / 3.2:1 / 2.8:1 / 3.9:1	2.8:1 / 2.8:1 / 3.5:1 / 2.5:1 / 3.7:1	2.3:1 / 3.6:1 / 1.9:1 / 4.1:1	2.1:1 / 2.6:1	3.2:1 / 3.0:1
Efficiency	45% / 60% / 55% / 60% / 65%	50% / 50% / 75% / 55% / 42%	45% / 50% / 45% / 35%	45% / 40%	65% / 65%
Component & Ground plane					

## Implementation support

Antenova offers a full range of development support and RF testing to help reduce customization, design costs and accelerate your time to market. Antenova recommends customers to use our know-how when it comes to implementing the antenna. We offer advanced measuring equipment, custom tuning and technical support to obtain a secure and reliable implementation. Make Antenova your partner of choice for new product development.

Contact [sales@antenova.com](mailto:sales@antenova.com), and why not join our antenna design community at [ask.antenova.com](http://ask.antenova.com).

Antenova Limited, Global HQ  
Titan Court, 3 Bishop Sq, Hatfield, AL10 9NA, UK  
T: +44 (0)170 7927 589  
E: [sales@antenova.com](mailto:sales@antenova.com)  
W: [www.antenova.com](http://www.antenova.com)

Cellular and LTE					
flexiiANT®					
FPC + cable + connector					
<b>Antenna illustration</b> (Not To Scale)					
Product name	Armata	Avia	Zhengi	Mitis	Moseni
Part no	SRFC011	SRFC025	SRFC015	SRFL026	SRFL029
Frequency	824–960 MHz 1710–1990 MHz 2110–2170 MHz	824–960 MHz 1710–1990 MHz 2110–2170 MHz	824–960 MHz 1710–1990 MHz 2110–2170 MHz 2300–2400 MHz 2500–2690 MHz	698–824 MHz 824–960 MHz 1710–2170 MHz 2300–2400 MHz 2500–2690 MHz	698–824 MHz 824–960 MHz 1710–2170 MHz 2300–2400 MHz 2500–2690 MHz
Dimensions LWH (mm)	30.0 x 28.5 x 0.15	71.0 x 12.5 x 0.15	80.0 x 20.0 x 0.15	110.0 x 20.0 x 0.15	110.0 x 20.0 x 0.15
VSWR	2.9:1 / 2.2:1 / 1.6:1	2.8:1 / 2.2:1 / 1.3:1	3.3:1 / 2.9:1 / 2.1:1 / 3.2:1 / 2.9:1	3.2:1 / 1.95:1 / 1.9:1 / 2.1:1 / 3.1:1	3.5:1 / 2.4:1 / 3.3:1 / 1.4:1 / 1.7:1
Efficiency	40% / 55% / 60%	45% / 70% / 65%	50% / 65% / 50% / 50% / 65%	55% / 65% / 65% / 55% / 70%	60% / 60% / 65% / 80% / 80%
Component & Ground plane					

## Implementation support

Antenova offers a full range of development support and RF testing to help reduce customization, design costs and accelerate your time to market. Antenova recommends customers to use our know-how when it comes to implementing the antenna. We offer advanced measuring equipment, custom tuning and technical support to obtain a secure and reliable implementation. Make Antenova your partner of choice for new product development.

Contact [sales@antenova.com](mailto:sales@antenova.com), and why not join our antenna design community at [ask.antenova.com](https://ask.antenova.com).

Antenova Limited, Global HQ  
 Titan Court, 3 Bishop Sq, Hatfield, AL10 9NA, UK  
**T:** +44 (0)170 7927 589  
**E:** [sales@antenova.com](mailto:sales@antenova.com)  
**W:** [www.antenova.com](http://www.antenova.com)

Cellular and LTE			
flexiiANT®			
FPC + cable + connector			
<b>Antenna illustration</b> (Not To Scale)			
Product name	Lutosa (5G)	Affini (5G)	Atta (LTE 450)
Part no	SRFL061	SRFL064	SRFI079
Frequency	617–698 MHz / 699–824 MHz 824–960 MHz / 1420–1520 MHz 1710–2200 MHz / 2300–2400 MHz 2500–2690 MHz / 3300–3800 MHz	617–698 MHz / 698–924 MHz 824–960 MHz / 1710–2170 MHz 2300–2400 MHz / 2500–2690 MHz	410–432MHz 432–434 MHz 434 - 470 MHz
Dimensions LWH (mm)	95.0 x 15.0 X 0.15	78.0 x 17.0 x 0.15	101.0 x 20.0 x 0.15
VSWR	2.9:1 / 3.1:1 / 1.6:1 / 1.7:1 / 2.1:1 / 1.5:1 / 2.0:1 / 2.4:1	3.1:1 / 2.7:1 / 2.2:1 / 3.1:1 / 1.6:1 / 1.7:1	2.2:1 / 2.2:1 / 3.0:1
Efficiency	40% / 45% / 55% / 60% / 60% / 65% / 65% / 60%	45% / 45% / 50% / 60% / 70% / 65%	60% / 55% / 45%
Component & Ground plane			

## Implementation support

Antenova offers a full range of development support and RF testing to help reduce customization, design costs and accelerate your time to market. Antenova recommends customers to use our know-how when it comes to implementing the antenna. We offer advanced measuring equipment, custom tuning and technical support to obtain a secure and reliable implementation. Make Antenova your partner of choice for new product development.

Contact [sales@antenova.com](mailto:sales@antenova.com), and why not join our antenna design community at [ask.antenova.com](https://ask.antenova.com).

Antenova Limited, Global HQ  
 Titan Court, 3 Bishop Sq, Hatfield, AL10 9NA, UK  
**T:** +44 (0)170 7927 589  
**E:** sales@antenova.com  
**W:** www.antenova.com